

OREGON DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
INTERPRETIVE MAP SERIES 24

GEOLOGIC HAZARDS, EARTHQUAKE AND LANDSLIDE HAZARD MAPS, AND FUTURE EARTHQUAKE DAMAGE ESTIMATES FOR SIX COUNTIES IN THE MID/SOUTHERN WILLAMETTE VALLEY INCLUDING YAMHILL, MARION, POLK, BENTON, LINN, AND LANE COUNTIES AND THE CITY OF ALBANY, OREGON

APPENDIX D:
LINN COUNTY

CRUSTAL EARTHQUAKE SCENARIO

Scenario Details
Ground Motion Map

SUBDUCTION ZONE EARTHQUAKE SCENARIO

Scenario Details
Ground Motion Map

GEOLOGIC HAZARD MAPS

Relative Ground-Shaking Amplification Susceptibility Map
Relative Liquefaction Hazard Susceptibility Map
Relative Earthquake-Induced Landslide Susceptibility Map
Identified Landslide Areas Map

HAZUS-MH GLOBAL REPORT FOR CRUSTAL SCENARIO

HAZUS-MH GLOBAL REPORT FOR SUBDUCTION ZONE SCENARIO

CRUSTAL EARTHQUAKE SCENARIO DETAILS FOR LINN COUNTY

Crustal Earthquake Scenario: A magnitude 6.7 earthquake on the Mill Creek Fault.

For the magnitude 6.7 earthquake on the Mill Creek Fault scenario, we defined the fault source using the “deterministic seismic source” option within HAZUS-MH (Figure D1) (FEMA, 2003b). The fault and earthquake event were chosen by examination of USGS (2004) data and data in the Geomatrix Consultants, Inc. (1995) *Seismic Design Mapping, State of Oregon* report prepared for the Oregon Department of Transportation. In general, a likely worst-case scenario was selected. Figure D1 has the location of the fault, shown as the dark line, and the census tracts within Linn County. Figure D2 displays the peak ground acceleration (PGA) for the crustal scenario.

Scenario Name	Mill Creek M6.7
Type of Earthquake	Source
Fault Name	Mill Creek Fault
Historical Epicenter ID #	70
Probabilistic Return Period	NA
Longitude of Epicenter	-123.015
Latitude of Epicenter	44.7428
Earthquake Magnitude	6.7
Depth (km)	0.00
Rupture Length (km)	27.11
Rupture Orientation (degrees)	0.00
Attenuation Function	Reverse-Slip




Figure D1. Mill Creek Fault details from HAZUS-MH (FEMA, 2003b). The location of the fault is shown as the dark line.

Crustal Earthquake Scenario Ground Motion Map




Figure D2. Peak ground acceleration (PGA) by census tracts map for the crustal earthquake scenario, Linn County, Oregon (FEMA, 2003b).

SUBDUCTION ZONE EARTHQUAKE SCENARIO DETAILS FOR LINN COUNTY

Subduction Zone Scenario: A magnitude 9.0 earthquake on the Cascadia Subduction Zone was selected for the subduction zone earthquake scenario.

For the Cascadia Subduction Zone earthquake scenario, we used the “user-defined event” option within HAZUS-MH to incorporate ground motion maps developed by the Cascadia Region Earthquake Workgroup (CREW, 2003) to model damage and loss from a magnitude 9.0 earthquake (Figure D3). The CREW maps were developed from ground motion data provided by the U.S. Geological Survey. The CREW earthquake scenario required the input of four sets of GIS files that are included within the HAZUS-MH study region: regional peak ground acceleration (PGA), peak ground velocity (PGV), and the spectral velocity at 0.3 s and 1.0 s (CREW, 2003). Figure D4 displays the PGA for the subduction zone scenario.




Figure D3. Location of the Cascadia Subduction Zone (CREW, 2003).

Subduction Zone Earthquake Scenario Ground Motion Map




Figure D4. Peak ground acceleration (PGA) by census tracts map for the Cascadia Subduction Zone earthquake scenario, Linn County, Oregon (FEMA, 2003b).

GEOLOGIC HAZARD MAPS

Relative Ground-Shaking Amplification Susceptibility Map




Figure D5. Relative ground-shaking amplification susceptibility map for Linn County, Oregon.

Relative Liquefaction Hazard Susceptibility Map




Figure D6. Relative liquefaction susceptibility map for Linn County, Oregon.

Relative Earthquake-Induced Landslide Susceptibility Map




Figure D7. Relative earthquake-induced landslide susceptibility map for Linn County, Oregon.

Identified Landslide Areas Map




Figure D8. Identified landslide map for Linn County, Oregon.



HAZUS-MH: Earthquake Event Report

Region Name: *Linn Crustal*

Earthquake Scenario: *Mill Creek M6.7*

Print Date: *March 18, 2005*

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific earthquake. These results can be improved by using enhanced inventory, geotechnical, and observed ground motion data.

Table of Contents

Section	Page #
General Description of the Region	3
Building and Lifeline Inventory	4
Building Inventory	
Critical Facility Inventory	
Transportation and Utility Lifeline Inventory	
Earthquake Scenario Parameters	6
Direct Earthquake Damage	7
Buildings Damage	
Critical Facilities Damage	
Transportation and Utility Lifeline Damage	
Induced Earthquake Damage	11
Fire Following Earthquake	
Debris Generation	
Social Impact	12
Shelter Requirements	
Casualties	
Economic Loss	13
Building Losses	
Transportation and Utility Lifeline Losses	
Long-term Indirect Economic Impacts	
 Appendix A: County Listing for the Region	
Appendix B: Regional Population and Building Value Data	

General Description of the Region

HAZUS is a regional earthquake loss estimation model that was developed by the Federal Emergency Management Agency and the National Institute of Building Sciences. The primary purpose of HAZUS is to provide a methodology and software application to develop earthquake losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from earthquakes and to prepare for emergency response and recovery.

The earthquake loss estimates provided in this report was based on a region that includes 1 county(ies) from the following state(s):

Oregon

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 2,304.63 square miles and contains 20 census tracts. There are over 39 thousand households in the region and has a total population of 103,069 people (2000 Census Bureau data). The distribution of population by State and County is provided in Appendix B.

There are an estimated 36 thousand buildings in the region with a total building replacement value (excluding contents) of 5,669 (millions of dollars). Approximately 99.00 % of the buildings (and 85.00% of the building value) are associated with residential housing.

The replacement value of the transportation and utility lifeline systems is estimated to be 4,440 and 1,278 (millions of dollars) , respectively.

Building and Lifeline Inventory

Building Inventory

HAZUS estimates that there are 36 thousand buildings in the region which have an aggregate total replacement value of 5,669 (millions of dollars) . Appendix B provides a general distribution of the building value by State and County.

In terms of building construction types found in the region, wood frame construction makes up 80% of the building inventory. The remaining percentage is distributed between the other general building types.

Critical Facility Inventory

HAZUS breaks critical facilities into two (2) groups: essential facilities and high potential loss (HPL) facilities. Essential facilities include hospitals, medical clinics, schools, fire stations, police stations and emergency operations facilities. High potential loss facilities include dams, levees, military installations, nuclear power plants and hazardous material sites.

For essential facilities, there are 1 hospitals in the region with a total bed capacity of 71 beds. There are 64 schools, 13 fire stations, 5 police stations and 0 emergency operation facilities. With respect to HPL facilities, there are 11 dams identified within the region. Of these, 6 of the dams are classified as 'high hazard'. The inventory also includes 69 hazardous material sites, 0 military installations and 0 nuclear power plants.

Transportation and Utility Lifeline Inventory

Within HAZUS, the lifeline inventory is divided between transportation and utility lifeline systems. There are seven (7) transportation systems that include highways, railways, light rail, bus, ports, ferry and airports. There are six (6) utility systems that include potable water, wastewater, natural gas, crude & refined oil, electric power and communications. The lifeline inventory data are provided in Tables 2 and 3.

The total value of the lifeline inventory is over 5,718.00 (millions of dollars). This inventory includes over 400 kilometers of highways, 122 bridges, 19,117 kilometers of pipes.

Table 2: Transportation System Lifeline Inventory

System	Component	# locations/ # Segments	Replacement value (millions of dollars)
Highway	Bridges	122	1,732.10
	Segments	71	1,421.20
	Tunnels	0	0.00
	Subtotal		3,153.30
Railways	Bridges	0	0.00
	Facilities	1	2.50
	Segments	110	209.90
	Tunnels	0	0.00
	Subtotal		212.40
Light Rail	Bridges	0	0.00
	Facilities	0	0.00
	Segments	0	0.00
	Tunnels	0	0.00
	Subtotal		0.00
Bus	Facilities	1	1.20
	Subtotal		1.20
Ferry	Facilities	0	0.00
	Subtotal		0.00
Port	Facilities	0	0.00
	Subtotal		0.00
Airport	Facilities	26	160.10
	Runways	26	913.10
	Subtotal		1,073.30
		Total	4,440.10

Table 3: Utility System Lifeline inventory

System	Component	# Locations / Segments	Replacement value (millions of dollars)
Potable Water	Distribution Lines	NA	191.20
	Facilities	4	150.50
	Pipelines	0	0.00
	Subtotal		341.70
Waste Water	Distribution Lines	NA	114.70
	Facilities	10	752.60
	Pipelines	0	0.00
	Subtotal		867.30
Natural Gas	Distribution Lines	NA	76.50
	Facilities	1	1.20
	Pipelines	0	0.00
	Subtotal		77.70
Oil Systems	Facilities	0	0.00
	Pipelines	0	0.00
	Subtotal		0.00
Electrical Power	Facilities	3	372.90
	Subtotal		372.90
Communication	Facilities	7	0.80
	Subtotal		0.80
	Total		1,660.40

Earthquake Scenario

HAZUS uses the following set of information to define the earthquake parameters used for the earthquake loss estimate provided in this report.

Scenario Name	Mill Creek M6.7
Type of Earthquake	Source
Fault Name	Mill Creek Fault
Historical Epicenter ID #	70
Probabilistic Return Period	NA
Longitude of Epicenter	-123.08
Latitude of Epicenter	44.70
Earthquake Magnitude	6.70
Depth (Km)	0.00
Rupture Length (Km)	22.96
Rupture Orientation (degrees)	0.00
Attenuation Function	Project 2000 West - Non Extensional

Building Damage

Building Damage

HAZUS estimates that about 12,431 thousand buildings will be at least moderately damaged. This is over 34.00 % of the total number of buildings in the region. There are an estimated 2,671 buildings that will be completely destroyed. The definition of the 'damage states' is provided in Volume 1: Chapter 5 of the HAZUS technical manual. Table 4 below summarizes the expected damage by general occupancy for the buildings in the region. Table 5 summarizes the expected damage by general building type.

Table 4: Expected Building Damage by Occupancy

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	1	0.00	0	0.01	0	0.01	0	0.01	0	0.01
Commercial	46	0.28	27	0.39	52	0.77	52	1.72	63	2.35
Education	1	0.00	1	0.01	2	0.04	3	0.09	3	0.12
Government	4	0.02	1	0.01	1	0.02	1	0.03	1	0.04
Industrial	6	0.04	4	0.05	8	0.11	9	0.30	11	0.39
Other Residential	2,583	15.40	1,122	16.05	1,648	24.46	1,241	41.07	962	35.99
Religion	2	0.01	1	0.01	1	0.02	1	0.04	1	0.05
Single Family	14,124	84.24	5,832	83.46	5,026	74.58	1,714	56.74	1,631	61.04
Total	16,767		6,988		6,739		3,021		2,672	

Table 5: Expected Building Damage by Building Type (All Design Levels)

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Concrete	20	0.01	1	0.01	1	0.02	2	0.06	3	0.09
MH*	2,390	14.26	924	13.22	1,404	20.84	1,111	36.79	817	30.58
Precast	7	0.03	3	0.04	7	0.10	9	0.30	11	0.40
RM*	3	0.02	1	0.02	3	0.05	4	0.14	5	0.17
Steel	22	0.01	1	0.02	3	0.05	6	0.19	12	0.44
UM*	124	0.74	58	0.83	84	1.25	77	2.55	115	4.29
Wood	14,201	84.65	5,973	85.48	5,177	76.82	1,747	57.85	1,638	61.32
Total	16,767		6,988		6,739		3,021		2,672	

*Note:

RM Reinforced Masonry
 URM Unreinforced Masonry
 MH Manufactured Housing

Essential Facility Damage

Before the earthquake, the region had 71 hospital beds available for use. On the day of the earthquake, the model estimates that only 3 hospital beds (4.00%) are available for use by patients already in the hospital and those injured by the earthquake. After one week, 20.00% of the beds will be back in service. By 30 days, 62.00% will be operational.

Table 6: Expected Damage to Essential Facilities

Classification	Total	# Facilities		
		Least Moderate Damage > 50%	Complete Damage > 50%	# likely Functional on day 1
Hospitals	1	1	0	0
Schools	64	22	0	42
EOCs	0	0	0	0
PoliceStations	5	3	0	2
FireStations	13	3	0	10

Transportation and Utility Lifeline Damage

Table 7 provides damage estimates for the transportation system.

Table 7: Expected Damage to the Transportation Systems

System	Component	Number of Locations_				
		Locations/ Segments	With at Least Mod. Damage	With Complete Damage	With Functionality > 50 %	
					After Day 1	After Day 7
Highway	Segments	71	0	0	71	71
	Bridges	122	12	0	111	119
	Tunnels	0	0	0	0	0
Railways	Segments	110	0	0	110	110
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	1	1	0	0	1
Light Rail	Segments	0	0	0	0	0
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	0	0	0	0	0
Bus	Facilities	1	1	0	0	1
Ferry	Facilities	0	0	0	0	0
Port	Facilities	0	0	0	0	0
Airport	Facilities	26	6	0	23	26
	Runways	26	0	0	26	26

Note: Roadway segments, railroad tracks and light rail tracks are assumed to be damaged by ground failure only. If ground failure maps are not provided, damage estimates to these components will not be computed.

Tables 8-10 provide information on the damage to the utility lifeline systems. Table 8 provides damage to the utility system facilities. Table 9 provides estimates on the number of leaks and breaks by the pipelines of the utility systems. For electric power and potable water, HAZUS performs a simplified system performance analysis. Table 10 provides a summary of the system performance information.

Table 8 : Expected Utility System Facility Damage

System	# of Locations				
	Total #	With at Least Moderate Damage	With Complete Damage	with Functionality > 50 %	
				After Day 1	After Day 7
Potable Water	4	2	0	2	4
Waste Water	10	4	0	5	10
Natural Gas	1	0	0	1	1
Oil Systems	0	0	0	0	0
Electrical Power	3	1	0	2	3
Communication	7	2	0	6	7

Table 9 : Expected Utility System Pipeline Damage (Site Specific)

System	Total Pipelines Length (kms)	Number of Leaks	Number of Breaks
Potable Water	9,559	308	266
Waste Water	5,735	243	211
Natural Gas	3,824	260	225
Oil	0	0	0

Table 10: Expected Potable Water and Electric Power System Performance

	Total # of Households	Number of Households without Service				
		At Day 1	At Day 3	At Day 7	At Day 30	At Day 90
Potable Water	39,541	2,084	1,157	117	0	0
Electric Power		11,371	7,251	3,254	776	15

Induced Earthquake Damage

Fire Following Earthquake

Fires often occur after an earthquake. Because of the number of fires and the lack of water to fight the fires, they can often burn out of control. HAZUS uses a Monte Carlo simulation model to estimate the number of ignitions and the amount of burnt area. For this scenario, the model estimates that there will be 6 ignitions that will burn about 0.06 sq. mi 0.00 % of the region's total area.) The model also estimates that the fires will displace about 142 people and burn about 8 (millions of dollars) of building value.

Debris Generation

HAZUS estimates the amount of debris that will be generated by the earthquake. The model breaks the debris into two general categories: a) Brick/Wood and b) Reinforced Concrete/Steel. This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 0 million tons of debris will be generated. Of the total amount, Brick/Wood comprises 42.00% of the total, with the remainder being Reinforced Concrete/Steel. If the debris tonnage is converted to an estimated number of truckloads, it will require 0 truckloads (@25 tons/truck) to remove the debris generated by the earthquake.

Social Impact

Shelter Requirement

HAZUS estimates the number of households that are expected to be displaced from their homes due to the earthquake and the number of displaced people that will require accommodations in temporary public shelters. The model estimates 3,683 households to be displaced due to the earthquake. Of these, 927 people (out of a total population of 103,069 will seek temporary shelter in public shelters.

Casualties

HAZUS estimates the number of people that will be injured and killed by the earthquake. The casualties are broken down into four (4) severity levels that describe the extent of the injuries. The levels are described as follows;

- Severity Level 1:Injuries will require medical attention but hospitalization is not needed.
- Severity Level 2:Injuries will require hospitalization but are not considered life-threatening
- Severity Level 3:Injuries will require hospitalization and can become life threatening if not promptly treated.
- Severity Level 4:Victims are killed by the earthquake.

The casualty estimates are provided for three (3) times of day: 2:00 AM, 2:00 PM and 5:00 PM. These times represent the periods of the day that different sectors of the community are at their peak occupancy loads. The 2:00 AM estimate considers that the residential occupancy load is maximum, the 2:00 PM estimate considers that the educational, commercial and industrial sector loads are maximum and 5:00 PM represents peak commute time.

Table 11 provides a summary of the casualties estimated for this earthquake

Table 11: Casualty Estimates

		Level 1	Level 2	Level 3	Level 4
2 AM	Commercial	8	2	0	1
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	3	1	0	0
	Industrial	12	4	1	1
	Other-Residential	281	72	8	14
	Single Family	344	77	5	8
	Total	650	156	14	25
2 PM	Commercial	518	159	26	52
	Commuting	1	1	1	0
	Educational	83	25	4	8
	Hotels	1	0	0	0
	Industrial	92	28	4	9
	Other-Residential	64	17	2	3
	Single Family	79	18	1	2
	Total	838	248	39	74
5 PM	Commercial	406	125	21	40
	Commuting	9	11	20	4
	Educational	10	3	1	1
	Hotels	1	0	0	0
	Industrial	58	17	3	5
	Other-Residential	107	28	3	6
	Single Family	138	31	2	3
	Total	729	215	49	59

Economic Loss

The total economic loss estimated for the earthquake is 1,700.28 (millions of dollars), which includes building and lifeline related losses based on the region's available inventory. The following three sections provide more detailed information about these losses.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the earthquake. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the earthquake.

The total building-related losses were 1,315.72 (millions of dollars); 10 % of the estimated losses were related to the business interruption of the region. By far, the largest loss was sustained by the residential occupancies which made up over 66 % of the total loss. Table 12 below provides a summary of the losses associated with the building damage.

Table 12: Building-Related Economic Loss Estimates

(Millions of dollars)

Category	Area	Single Family	Other Residential	Commercial	Industrial	Others	Total
Income Losses							
	Wage	0.00	3.04	32.06	1.43	2.72	39.25
	Capital-Related	0.00	1.29	28.26	1.10	1.06	31.71
	Rental	19.36	22.41	15.53	0.59	1.33	59.22
	Relocation	2.12	0.60	0.84	0.06	0.46	4.08
	Subtotal	21.47	27.34	76.69	3.18	5.57	134.25
Capital Stock Losses							
	Structural	101.77	34.82	43.94	10.49	7.52	198.54
	Non_Structural	382.11	164.12	123.22	40.72	32.04	742.22
	Content	96.57	34.58	57.77	26.76	17.12	232.79
	Inventory	0.00	0.00	2.64	5.08	0.20	7.92
	Subtotal	580.45	233.52	227.57	83.06	56.88	1,181.47
	Total	601.92	260.86	304.26	86.24	62.44	1,315.72

Transportation and Utility Lifeline Losses

For the transportation and utility lifeline systems, HAZUS computes the direct repair cost for each component only. There are no losses computed by HAZUS for business interruption due to lifeline outages. Tables 13 & 14 provide a detailed breakdown in the expected lifeline losses.

HAZUS estimates the long-term economic impacts to the region for 15 years after the earthquake. The model quantifies this information in terms of income and employment changes within the region. Table 15 presents the results of the region for the given earthquake.

Table 13: Transportation System Economic Losses
(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Highway	Segments	1,421.20	\$12.85	0.90
	Bridges	1,732.06	\$116.85	6.75
	Tunnels	0.00	\$0.00	0.00
	Subtotal	3153.30	129.70	
Railways	Segments	209.93	\$2.21	1.05
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	2.46	\$1.15	46.70
	Subtotal	212.40	3.40	
Light Rail	Segments	0.00	\$0.00	0.00
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Bus	Facilities	1.23	\$0.63	51.16
	Subtotal	1.20	0.60	
Ferry	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Port	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Airport	Facilities	160.12	\$36.02	22.49
	Runways	913.13	\$2.25	0.25
	Subtotal	1073.30	38.30	
	Total	4440.10	172.00	

Table 14: Utility System Economic Losses

(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Potable Water	Pipelines	0.00	\$0.00	0.00
	Facilities	150.50	\$27.50	18.27
	Distribution Line	191.20	\$6.55	3.43
	Subtotal	341.69	\$34.05	
Waste Water	Pipelines	0.00	\$0.00	0.00
	Facilities	752.60	\$112.79	14.99
	Distribution Line	114.70	\$5.18	4.52
	Subtotal	867.29	\$117.98	
Natural Gas	Pipelines	0.00	\$0.00	0.00
	Facilities	1.20	\$0.07	5.79
	Distribution Line	76.50	\$5.54	7.25
	Subtotal	77.70	\$5.61	
Oil Systems	Pipelines	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	\$0.00	
Electrical Power	Facilities	372.90	\$54.84	14.71
	Subtotal	372.90	\$54.84	
Communication	Facilities	0.80	\$0.11	13.44
	Subtotal	0.79	\$0.11	
	Total	1,660.38	\$212.59	

Table 15. Indirect Economic Impact with outside aid
(Employment as # of people and Income in millions of \$)

	LOSS	Total	%
First Year			
	Employment Impact	0	0.00
	Income Impact	(67)	-7.10
Second Year			
	Employment Impact	0	0.00
	Income Impact	(91)	-9.63
Third Year			
	Employment Impact	0	0.00
	Income Impact	(100)	-10.69
Fourth Year			
	Employment Impact	0	0.00
	Income Impact	(100)	-10.69
Fifth Year			
	Employment Impact	0	0.00
	Income Impact	(100)	-10.69
Years 6 to 15			
	Employment Impact	0	0.00
	Income Impact	(100)	-10.69

Appendix A: County Listing for the Region

Linn,OR

Appendix B: Regional Population and Building Value Data

State	County Name	Population	Building Value (millions of dollars)		
			Residential	Non-Residential	Total
Oregon	Linn	103,069	4,821	847	5,669
Total State		103,069	4,821	847	5,669
Total Region		103,069	4,821	847	5,669



HAZUS-MH: Earthquake Event Report

Region Name: *Linn Cascadia*

Earthquake Scenario: *Cascadia M9.0*

Print Date: *March 18, 2005*

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific earthquake. These results can be improved by using enhanced inventory, geotechnical, and observed ground motion data.

Table of Contents

Section	Page #
General Description of the Region	3
Building and Lifeline Inventory	4
Building Inventory	
Critical Facility Inventory	
Transportation and Utility Lifeline Inventory	
Earthquake Scenario Parameters	6
Direct Earthquake Damage	7
Buildings Damage	
Critical Facilities Damage	
Transportation and Utility Lifeline Damage	
Induced Earthquake Damage	11
Fire Following Earthquake	
Debris Generation	
Social Impact	12
Shelter Requirements	
Casualties	
Economic Loss	13
Building Losses	
Transportation and Utility Lifeline Losses	
Long-term Indirect Economic Impacts	
 Appendix A: County Listing for the Region	
Appendix B: Regional Population and Building Value Data	

General Description of the Region

HAZUS is a regional earthquake loss estimation model that was developed by the Federal Emergency Management Agency and the National Institute of Building Sciences. The primary purpose of HAZUS is to provide a methodology and software application to develop earthquake losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from earthquakes and to prepare for emergency response and recovery.

The earthquake loss estimates provided in this report was based on a region that includes 1 county(ies) from the following state(s):

Oregon

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 2,304.63 square miles and contains 20 census tracts. There are over 39 thousand households in the region and has a total population of 103,069 people (2000 Census Bureau data). The distribution of population by State and County is provided in Appendix B.

There are an estimated 36 thousand buildings in the region with a total building replacement value (excluding contents) of 5,669 (millions of dollars). Approximately 99.00 % of the buildings (and 85.00% of the building value) are associated with residential housing.

The replacement value of the transportation and utility lifeline systems is estimated to be 4,440 and 1,278 (millions of dollars) , respectively.

Building and Lifeline Inventory

Building Inventory

HAZUS estimates that there are 36 thousand buildings in the region which have an aggregate total replacement value of 5,669 (millions of dollars) . Appendix B provides a general distribution of the building value by State and County.

In terms of building construction types found in the region, wood frame construction makes up 80% of the building inventory. The remaining percentage is distributed between the other general building types.

Critical Facility Inventory

HAZUS breaks critical facilities into two (2) groups: essential facilities and high potential loss (HPL) facilities. Essential facilities include hospitals, medical clinics, schools, fire stations, police stations and emergency operations facilities. High potential loss facilities include dams, levees, military installations, nuclear power plants and hazardous material sites.

For essential facilities, there are 1 hospitals in the region with a total bed capacity of 71 beds. There are 64 schools, 13 fire stations, 5 police stations and 0 emergency operation facilities. With respect to HPL facilities, there are 11 dams identified within the region. Of these, 6 of the dams are classified as 'high hazard'. The inventory also includes 69 hazardous material sites, 0 military installations and 0 nuclear power plants.

Transportation and Utility Lifeline Inventory

Within HAZUS, the lifeline inventory is divided between transportation and utility lifeline systems. There are seven (7) transportation systems that include highways, railways, light rail, bus, ports, ferry and airports. There are six (6) utility systems that include potable water, wastewater, natural gas, crude & refined oil, electric power and communications. The lifeline inventory data are provided in Tables 2 and 3.

The total value of the lifeline inventory is over 5,718.00 (millions of dollars). This inventory includes over 400 kilometers of highways, 122 bridges, 19,117 kilometers of pipes.

Table 2: Transportation System Lifeline Inventory

System	Component	# locations/ # Segments	Replacement value (millions of dollars)
Highway	Bridges	122	1,732.10
	Segments	71	1,421.20
	Tunnels	0	0.00
	Subtotal		3,153.30
Railways	Bridges	0	0.00
	Facilities	1	2.50
	Segments	110	209.90
	Tunnels	0	0.00
	Subtotal		212.40
Light Rail	Bridges	0	0.00
	Facilities	0	0.00
	Segments	0	0.00
	Tunnels	0	0.00
	Subtotal		0.00
Bus	Facilities	1	1.20
	Subtotal		1.20
Ferry	Facilities	0	0.00
	Subtotal		0.00
Port	Facilities	0	0.00
	Subtotal		0.00
Airport	Facilities	26	160.10
	Runways	26	913.10
	Subtotal		1,073.30
		Total	4,440.10

Table 3: Utility System Lifeline inventory

System	Component	# Locations / Segments	Replacement value (millions of dollars)
Potable Water	Distribution Lines	NA	191.20
	Facilities	4	150.50
	Pipelines	0	0.00
	Subtotal		341.70
Waste Water	Distribution Lines	NA	114.70
	Facilities	10	752.60
	Pipelines	0	0.00
	Subtotal		867.30
Natural Gas	Distribution Lines	NA	76.50
	Facilities	1	1.20
	Pipelines	0	0.00
	Subtotal		77.70
Oil Systems	Facilities	0	0.00
	Pipelines	0	0.00
	Subtotal		0.00
Electrical Power	Facilities	3	372.90
	Subtotal		372.90
Communication	Facilities	7	0.80
	Subtotal		0.80
	Total		1,660.40

Earthquake Scenario

HAZUS uses the following set of information to define the earthquake parameters used for the earthquake loss estimate provided in this report.

Scenario Name	Cascadia M9.0
Type of Earthquake	User-defined
Fault Name	NA
Historical Epicenter ID #	NA
Probabilistic Return Period	NA
Longitude of Epicenter	NA
Latitude of Epicenter	NA
Earthquake Magnitude	8.50
Depth (Km)	NA
Rupture Length (Km)	NA
Rupture Orientation (degrees)	NA
Attenuation Function	NA

Building Damage

Building Damage

HAZUS estimates that about 10,372 thousand buildings will be at least moderately damaged. This is over 29.00 % of the total number of buildings in the region. There are an estimated 2,470 buildings that will be completely destroyed. The definition of the 'damage states' is provided in Volume 1: Chapter 5 of the HAZUS technical manual. Table 4 below summarizes the expected damage by general occupancy for the buildings in the region. Table 5 summarizes the expected damage by general building type.

Table 4: Expected Building Damage by Occupancy

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.01	0	0.01	0	0.02
Commercial	18	0.10	21	0.26	53	1.00	62	2.40	86	3.47
Education	1	0.00	1	0.01	2	0.04	3	0.11	3	0.13
Government	1	0.01	1	0.01	2	0.03	2	0.07	2	0.09
Industrial	2	0.01	2	0.03	7	0.13	10	0.40	16	0.64
Other Residential	1,161	6.66	1,039	12.41	1,942	36.65	1,950	74.89	1,463	59.20
Religion	1	0.01	1	0.01	1	0.02	1	0.05	2	0.08
Single Family	16,259	93.21	7,304	87.26	3,291	62.12	575	22.07	899	36.37
Total	17,444		8,370		5,298		2,604		2,471	

Table 5: Expected Building Damage by Building Type (All Design Levels)

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Concrete	7	0.00	0	0.00	1	0.02	2	0.09	4	0.16
MH*	860	4.93	813	9.71	1,779	33.59	1,870	71.80	1,324	53.60
Precast	2	0.01	1	0.02	6	0.11	10	0.38	16	0.64
RM*	1	0.01	1	0.01	3	0.06	5	0.19	6	0.26
Steel	5	0.00	0	0.00	2	0.04	5	0.19	17	0.67
UM*	83	0.47	66	0.78	103	1.95	90	3.45	116	4.71
Wood	16,486	94.50	7,471	89.26	3,348	63.20	546	20.97	880	35.63
Total	17,444		8,370		5,298		2,604		2,471	

*Note:

RM Reinforced Masonry
 URM Unreinforced Masonry
 MH Manufactured Housing

Essential Facility Damage

Before the earthquake, the region had 71 hospital beds available for use. On the day of the earthquake, the model estimates that only 63 hospital beds (90.00%) are available for use by patients already in the hospital and those injured by the earthquake. After one week, 90.00% of the beds will be back in service. By 30 days, 90.00% will be operational.

Table 6: Expected Damage to Essential Facilities

Classification	Total	# Facilities		
		Least Moderate Damage > 50%	Complete Damage > 50%	# likely Functional on day 1
Hospitals	1	0	0	1
Schools	64	0	0	64
EOCs	0	0	0	0
PoliceStations	5	0	0	5
FireStations	13	0	0	13

Transportation and Utility Lifeline Damage

Table 7 provides damage estimates for the transportation system.

Table 7: Expected Damage to the Transportation Systems

System	Component	Number of Locations_				
		Locations/ Segments	With at Least Mod. Damage	With Complete Damage	With Functionality > 50 %	
					After Day 1	After Day 7
Highway	Segments	71	0	0	71	71
	Bridges	122	0	0	122	122
	Tunnels	0	0	0	0	0
Railways	Segments	110	0	0	110	110
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	1	0	0	1	1
Light Rail	Segments	0	0	0	0	0
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	0	0	0	0	0
Bus	Facilities	1	0	0	1	1
Ferry	Facilities	0	0	0	0	0
Port	Facilities	0	0	0	0	0
Airport	Facilities	26	0	0	26	26
	Runways	26	0	0	26	26

Note: Roadway segments, railroad tracks and light rail tracks are assumed to be damaged by ground failure only. If ground failure maps are not provided, damage estimates to these components will not be computed.

Tables 8-10 provide information on the damage to the utility lifeline systems. Table 8 provides damage to the utility system facilities. Table 9 provides estimates on the number of leaks and breaks by the pipelines of the utility systems. For electric power and potable water, HAZUS performs a simplified system performance analysis. Table 10 provides a summary of the system performance information.

Table 8 : Expected Utility System Facility Damage

System	# of Locations				
	Total #	With at Least Moderate Damage	With Complete Damage	with Functionality > 50 %	
				After Day 1	After Day 7
Potable Water	4	1	0	3	4
Waste Water	10	2	0	2	10
Natural Gas	1	0	0	1	1
Oil Systems	0	0	0	0	0
Electrical Power	3	0	0	2	3
Communication	7	0	0	7	7

Table 9 : Expected Utility System Pipeline Damage (Site Specific)

System	Total Pipelines Length (kms)	Number of Leaks	Number of Breaks
Potable Water	9,559	451	191
Waste Water	5,735	357	151
Natural Gas	3,824	382	161
Oil	0	0	0

Table 10: Expected Potable Water and Electric Power System Performance

	Total # of Households	Number of Households without Service				
		At Day 1	At Day 3	At Day 7	At Day 30	At Day 90
Potable Water	39,541	777	259	0	0	0
Electric Power		0	0	0	0	0

Induced Earthquake Damage

Fire Following Earthquake

Fires often occur after an earthquake. Because of the number of fires and the lack of water to fight the fires, they can often burn out of control. HAZUS uses a Monte Carlo simulation model to estimate the number of ignitions and the amount of burnt area. For this scenario, the model estimates that there will be 0 ignitions that will burn about 0.00 sq. mi 0.00 % of the region's total area.) The model also estimates that the fires will displace about 0 people and burn about 0 (millions of dollars) of building value.

Debris Generation

HAZUS estimates the amount of debris that will be generated by the earthquake. The model breaks the debris into two general categories: a) Brick/Wood and b) Reinforced Concrete/Steel. This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 0 million tons of debris will be generated. Of the total amount, Brick/Wood comprises 36.00% of the total, with the remainder being Reinforced Concrete/Steel. If the debris tonnage is converted to an estimated number of truckloads, it will require 0 truckloads (@25 tons/truck) to remove the debris generated by the earthquake.

Social Impact

Shelter Requirement

HAZUS estimates the number of households that are expected to be displaced from their homes due to the earthquake and the number of displaced people that will require accommodations in temporary public shelters. The model estimates 2,563 households to be displaced due to the earthquake. Of these, 653 people (out of a total population of 103,069 will seek temporary shelter in public shelters.

Casualties

HAZUS estimates the number of people that will be injured and killed by the earthquake. The casualties are broken down into four (4) severity levels that describe the extent of the injuries. The levels are described as follows;

- Severity Level 1:Injuries will require medical attention but hospitalization is not needed.
- Severity Level 2:Injuries will require hospitalization but are not considered life-threatening
- Severity Level 3:Injuries will require hospitalization and can become life threatening if not promptly treated.
- Severity Level 4:Victims are killed by the earthquake.

The casualty estimates are provided for three (3) times of day: 2:00 AM, 2:00 PM and 5:00 PM. These times represent the periods of the day that different sectors of the community are at their peak occupancy loads. The 2:00 AM estimate considers that the residential occupancy load is maximum, the 2:00 PM estimate considers that the educational, commercial and industrial sector loads are maximum and 5:00 PM represents peak commute time.

Table 11 provides a summary of the casualties estimated for this earthquake

Table 11: Casualty Estimates

		Level 1	Level 2	Level 3	Level 4
2 AM	Commercial	9	3	0	1
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	4	1	0	0
	Industrial	16	5	1	2
	Other-Residential	340	87	9	17
	Single Family	194	43	3	5
	Total	563	139	14	25
2 PM	Commercial	619	193	32	63
	Commuting	0	0	0	0
	Educational	96	30	5	10
	Hotels	1	0	0	0
	Industrial	121	37	6	12
	Other-Residential	77	20	2	4
	Single Family	45	10	1	1
	Total	960	290	46	90
5 PM	Commercial	494	152	26	49
	Commuting	0	0	0	0
	Educational	10	3	1	1
	Hotels	1	0	0	0
	Industrial	76	23	4	7
	Other-Residential	127	33	4	7
	Single Family	77	17	1	2
	Total	785	229	35	67

Economic Loss

The total economic loss estimated for the earthquake is 1,310.63 (millions of dollars), which includes building and lifeline related losses based on the region's available inventory. The following three sections provide more detailed information about these losses.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the earthquake. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the earthquake.

The total building-related losses were 1,150.68 (millions of dollars); 13 % of the estimated losses were related to the business interruption of the region. By far, the largest loss was sustained by the residential occupancies which made up over 51 % of the total loss. Table 12 below provides a summary of the losses associated with the building damage.

Table 12: Building-Related Economic Loss Estimates

(Millions of dollars)

Category	Area	Single Family	Other Residential	Commercial	Industrial	Others	Total
Income Losses							
	Wage	0.00	2.45	43.02	2.09	3.16	50.72
	Capital-Related	0.00	1.04	37.44	1.53	1.16	41.17
	Rental	10.27	20.13	19.59	0.80	1.51	52.29
	Relocation	1.18	0.62	1.09	0.07	0.51	3.47
	Subtotal	11.45	24.23	101.14	4.49	6.34	147.65
Capital Stock Losses							
	Structural	54.39	39.13	57.54	14.03	9.68	174.77
	Non_Structural	209.37	160.93	155.67	51.51	35.46	612.94
	Content	55.41	31.54	68.41	32.40	17.48	205.23
	Inventory	0.00	0.00	3.15	6.65	0.29	10.09
	Subtotal	319.16	231.60	284.77	104.59	62.91	1,003.03
	Total	330.61	255.83	385.92	109.07	69.25	1,150.68

Transportation and Utility Lifeline Losses

For the transportation and utility lifeline systems, HAZUS computes the direct repair cost for each component only. There are no losses computed by HAZUS for business interruption due to lifeline outages. Tables 13 & 14 provide a detailed breakdown in the expected lifeline losses.

HAZUS estimates the long-term economic impacts to the region for 15 years after the earthquake. The model quantifies this information in terms of income and employment changes within the region. Table 15 presents the results of the region for the given earthquake.

Table 13: Transportation System Economic Losses
(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Highway	Segments	1,421.20	\$4.44	0.31
	Bridges	1,732.06	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Subtotal	3153.30	4.40	
Railways	Segments	209.93	\$0.00	0.00
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	2.46	\$0.65	26.32
	Subtotal	212.40	0.60	
Light Rail	Segments	0.00	\$0.00	0.00
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Bus	Facilities	1.23	\$0.34	27.99
	Subtotal	1.20	0.30	
Ferry	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Port	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Airport	Facilities	160.12	\$22.00	13.74
	Runways	913.13	\$1.09	0.12
	Subtotal	1073.30	23.10	
	Total	4440.10	28.50	

Table 14: Utility System Economic Losses

(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Potable Water	Pipelines	0.00	\$0.00	0.00
	Facilities	150.50	\$12.57	8.35
	Distribution Line	191.20	\$5.62	2.94
	Subtotal	341.69	\$18.19	
Waste Water	Pipelines	0.00	\$0.00	0.00
	Facilities	752.60	\$83.55	11.10
	Distribution Line	114.70	\$4.44	3.87
	Subtotal	867.29	\$88.00	
Natural Gas	Pipelines	0.00	\$0.00	0.00
	Facilities	1.20	\$0.10	8.25
	Distribution Line	76.50	\$4.75	6.21
	Subtotal	77.70	\$4.85	
Oil Systems	Pipelines	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	\$0.00	
Electrical Power	Facilities	372.90	\$20.33	5.45
	Subtotal	372.90	\$20.33	
Communication	Facilities	0.80	\$0.07	8.32
	Subtotal	0.79	\$0.07	
	Total	1,660.38	\$131.43	

Table 15. Indirect Economic Impact with outside aid
(Employment as # of people and Income in millions of \$)

	LOSS	Total	%
First Year			
	Employment Impact	0	0.00
	Income Impact	(65)	-6.90
Second Year			
	Employment Impact	0	0.00
	Income Impact	(85)	-9.04
Third Year			
	Employment Impact	0	0.00
	Income Impact	(93)	-9.92
Fourth Year			
	Employment Impact	0	0.00
	Income Impact	(93)	-9.92
Fifth Year			
	Employment Impact	0	0.00
	Income Impact	(93)	-9.92
Years 6 to 15			
	Employment Impact	0	0.00
	Income Impact	(93)	-9.92

Appendix A: County Listing for the Region

Linn,OR

Appendix B: Regional Population and Building Value Data

State	County Name	Population	Building Value (millions of dollars)		
			Residential	Non-Residential	Total
Oregon	Linn	103,069	4,821	847	5,669
Total State		103,069	4,821	847	5,669
Total Region		103,069	4,821	847	5,669