

STATE OF OREGON
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
1005 State Office Building
Portland, Oregon 97201

OPEN-FILE REPORT O-80-14

PROGRESS REPORT ON ACTIVITIES
OF THE
LOW-TEMPERATURE RESOURCE
ASSESSMENT PROGRAM 1979-1980

Principal Investigator

Donald A. Hull

Prepared for
U.S. Department of Energy
Under State Cooperative Agreement
No. DE-FC07-79ET-7220

1980

TABLE OF CONTENTS


Belknap-Foley.	1
Bibliography of the Belknap-Foley area	7
Willamette Pass.	14
Bibliography of the Willamette Pass area	18
Northern and southern Harney Basin	24
Bibliography of the Harney Basin	32
Powell Buttes.	38
Bibliography of Powell Buttes.	44
Western Snake River Plain.	48
Bibliography of the Western Snake River Plain.	54
Lakeview	60
Bibliography of Lakeview	66
Alvord Desert.	69
Bibliography of the Alvord Desert.	72
La Grande.	75
Bibliography of La Grande.	78

FIGURES

1. Map showing location of study area	2
---	---

TABLES

1. Contents of open-file release, Belknap-Foley	3
2. Water-chemistry data, Belknap-Foley	in preparation
3. Locations and geothermal gradients, Belknap-Foley.	5
4. Contents of open-file release, Willamette Pass	15
5. Water-chemistry data, Willamette Pass.	in preparation
6. Locations and geothermal gradients, Willamette Pass.	17
7. Contents of open-file release, Harney Basin	25
8. Water-chemistry data, Harney Basin	in preparation
9A. Locations and geothermal gradients, North Harney Basin	27
9B. Locations and geothermal gradients, South Harney Basin	29
10. Contents of open-file release, Powell Buttes	39
11. Water-chemistry data, Powell Buttes.	in preparation
12. Locations and geothermal gradients, Powell Buttes.	41
13. Open-file release, Western Snake River Basin	49
14. Water-chemistry data, Western Snake River Plain.	in preparation
15. Locations and geothermal gradients, Western Snake River Plain.	50
16. Contents of open-file release, Lakeview.	61
17. Water-chemistry data, Lakeview	in preparation
18. Locations and geothermal gradients, Lakeview	63
19. Contents of open-file release, Alvord Desert	70
20. Water-chemistry data, Alvord Desert.	in preparation
21. Locations and geothermal gradients, Alvord Desert.	71
22. Contents of open-file release, La Grande	76
23. Water-chemistry data, La Grande.	in preparation
24. Locations and geothermal gradients, La Grande.	77



Department of Geology and Mineral Industries
ADMINISTRATIVE OFFICE

1069 STATE OFFICE BLDG., PORTLAND, OREGON 97201 PHONE (503) 229-5580

November 17, 1980

Dr. Leland L. Mink
Energy and Technology Division
Idaho Operations Office
Department of Energy
550 Second Street
Idaho Falls, Idaho 83401

Dear Dr. Mink:

Subject: Cooperative Agreement No. DE-FC07-79ET-7220; Annual Report

Submitted herewith is a brief summary report on the activities of the low-temperature resource assessment of the nine site-specific areas designated in the above-referenced agreement for the year 1979-1980. The title and areal definition of each area is shown on Figure I. Included with this brief report are a summary of activities and findings, a list of materials to be included in the final report, and a copy of a representative geologic bibliography.

The final report for each of the nine study areas will be in the form of an open-file report to be released by DOGAMI during January, 1981. They will include all the material referenced in this report placed in a single packet with a brief text discussing geology, geophysics, and geochemistry, and their direct relation to the recognized geothermal systems.

Sincerely,

Donald A. Hull
Principal Investigator

DAH/bh

BELKNAP-FOLEY

The Belknap-Foley area is in the west-central portion of Oregon immediately west of McKenzie Pass in the Cascade Mountain Range. The material in the open-file report to be made available December 1, 1980, is summarized in Table 1. These data include an aeromagnetic, gravity, and lineament study map at a scale of 1:250,000 and a geologic map and geologic cross sections at a scale of 1:62,500. Pertinent rock chemistry and potassium-argon age-date results together with geothermal gradient data will be presented in the form of overlays on the geologic map. Summarized in individual tables in this annual report are available water-chemistry data and geothermal-gradient data. These data will also be included in the open-file report.

In general, the aeromagnetic data seem to be primarily related to topography, in large part because the Pliocene units capping the ridges have a higher proportion of magnetically susceptible lavas than the older Miocene and Oligocene rocks. Thus, as a result, there is a relatively good correlation between the aeromagnetic data and the topography.

The gravity data indicate a generally decreasing complete Bouguer anomaly value from west to east, primarily related to a regional change across the Cascade Range. This regional change has been discussed in detail in various publications (Blackwell and others, 1978; Pitts, 1979). The gravity data can be interpreted in terms of a residual anomaly associated either with the whole Cascade Range or locally with the transition between the High Cascade Range and the Western Cascade Range provinces. This gravity gradient or gravity anomaly passes directly through the area of study and appears to be related to local or regional control of the geothermal systems.

Table 1

Contents of open-file release
on Belknap-Foley low-temperature geothermal resource area

<u>Item</u>	<u>Scale</u>	<u>Comments</u>
Aeromagnetic map	1:250,000	
Gravity map	1:250,000	
Lineament map	1:250,000	
Geologic map	1:62,500	122°00'00" to 122°30'00" 44°00'00" to 44°30'00"
Geologic Cross Sections	1:62,500	
Rock Chemistry, Age Data, Gradient Data, Water Chemistry	1:62,500	Overlays on geologic map
Well and Spring Chemistry	--	Table
Geothermal-Gradient/ heat-flow data	--	Table
Brief Text	--	
Bibliography	--	

NOTE -

Water-Chemistry tables are currently being revised and are not available to be included with this report. They will, however, be included with the DOGAMI Open-File Reports.

The lineament study indicates a predominately north-northwest fabric superimposed on a weak, older east-west trend. The geologic map has been compiled at a scale of 1:62,500 to include all or part of three 15-minute quadrangles. The most significant results of the mapping are that several major structures which appear to be related to the geothermal systems have been identified. In particular, along the North Fork of the McKenzie River, a major fault system occurs in which the Pliocene rocks are downdropped approximately 900 m to the east along a series of en echelon step faults. This zone appears to represent the western boundary of the Cascade graben proposed by Allen (1966), Taylor (1980), and others. Three of the hot springs in the area appear to be localized along this zone of faulting. In addition, a major north-south fault through Cougar Reservoir has been identified as a normal fault with minor oblique motion in which the east side has been down-dropped on the order of 200 m. This structure appears to localize two hot springs observed near the reservoir.

The spring chemistry data from the Geotherm file and other sources are included in Table 2. In general, unmixed models based on the data do not indicate reservoir temperatures in excess of 150⁰C. For the open-file report, sodium-potassium-calcium, silica, and mixing temperatures will be calculated using the data. Results of the geothermal-gradient studies are shown in Table 3. As yet, no holes have been drilled specifically for this project in this area; a few holes, however, are available from regional studies. These holes document the major west-to-east increase in heat flow observed along the Cascade Range. The boundary coincides with the western border of the north-south gravity gradient mentioned above. Background gradients west of the boundary are on the order of 50-70⁰C/km. All detailed temperature-depth data are on file in the DOGAMI office.

TABLE 3. Locations and geothermal gradients for the Belknap-Foley low-temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files.

TOWNSHIP/ RANGE- SECTION	GEOLOGICAL PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	CORR. GRAD. °C/km	QUALITY
15S/ 6E- 11DC		44-16.1	122- 3.3	CR-TBR 7/26/77	716	.0		X
						52.0		
						15.0		X
						45.0		
						45.0		X
						52.0		
16S/ 6E- 2CA		44-12.1	122- 3.0	CR-FP 8/ 5/76	70	100.0 150.0	88.3	C
16S/ 4E- 14DBB	WC	44-10.1	122-17.5	BH-3Z 11/26/75	457	12.5 45.0	35.0	D
16S/ 6E- 27BB		44- 9.1	122- 4.7	CR-HC 9/29/76	573	30.0 150.0	70.9	B

A bibliography of all pertinent geologic references is included with this annual report and will also be included with the open-file report.

BIBLIOGRAPHY OF THE BELKNAP-FOLEY AREA

- Allen, J.E., 1966, The Cascade Range volcano-tectonic depression of Oregon, in Transactions, Lunar Geological Field Conference, Bend, Oregon, August 1965: Oregon Department of Geology and Mineral Industries, p. 21-23.
- Armstrong, R.L., Taylor, E.M., Hales, P.O., and Parker, D.J., 1975, K-Ar dates for volcanic rocks, central Cascade Range of Oregon: Isochron/West, no. 13, p. 5-10.
- Baldwin, E.M., 1976, Geology of Oregon (revised ed.): Dubuque, Iowa, Kendall/Hunt, 147 p.
- Barnes, C.G., and Ritchey, J.L., 1978, Tectonic implications of structural patterns in the Cascades of southern Oregon (abs.): Proceedings of the Oregon Academy of Science, v. 14, p. 141-142.
- Beaulieu, J.D., 1971, Geologic formations of western Oregon (west of longitude 121° 30'): Oregon Department of Geology and Mineral Industries Bulletin 70, 72 p.
- Benson, G.T., 1965, The age of Clear Lake, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 27, no. 2, p. 37-40.
- Blackwell, D.D., 1969, Heat flow determinations in the northwestern United States: Journal of Geophysical Research, v. 74, no. 4, p. 992-1007.
- Blackwell, D.D., Hull, D.A., Bowen, R.G., and Steele, J.L., 1978, Heat flow of Oregon: Oregon Department of Geology and Mineral Industries Special Paper 4, 42 p.
- Blackwell, D.D., Steele, J.L., and Riccio, J.F., 1979, Heat flow of the Oregon Cascade Range (abs.): EOS (American Geophysical Union Transactions), v. 60, no. 46, p. 960.
- Bodvarsson, G., Couch, R.W., MacFarlane, W.T., Tank, R.W., and Whitsett, R.M., 1974, Telluric current exploration for geothermal anomalies in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 36, no. 6, p. 93-107.
- Bogue, R.G., and Hodge, E.T., 1940, Cascade andesites of Oregon: American Mineralogist, v. 25, no. 10, p. 627-665.
- Bowen, R.G., 1972, Geothermal gradient studies in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 34, no. 4, p. 68-71.
- _____, 1975, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-75-3, 133 p.

- Bowen, R.G., and Blackwell, D.D., 1973, Progress report on geothermal measurements in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 35, no. 1, p. 6-7.
- Bowen, R.G., Blackwell, D.D., and Hull, D.A., 1975, Geothermal studies and exploration in Oregon (draft final report to U.S. Bureau of Mines): Oregon Department of Geology and Mineral Industries Open-File Report 0-75-7, 65 p.
- 1977, Geothermal exploration studies in Oregon: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 19, 50 p.
- Bowen, R.G., and Peterson, N.V., compilers, 1970, Thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 14 (map).
- Bowen, R.G., Peterson, N.V., and Riccio, J.F., compilers, 1978, Low- to intermediate-temperature thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-10.
- Brooks, H.L., and Ramp, L., 1968, Gold and silver in Oregon: Oregon Department of Geology and Mineral Industries Bulletin 61, 337 p.
- Brown, R.E., 1941, The geology and petrography of the Mount Washington area, Oregon: New Haven, Conn., Yale University master's thesis, 48 p.
- Buddington, A.F., and Callaghan, E., 1936, Dioritic intrusive rocks and contact metamorphism in the Cascade Range in Oregon: American Journal of Science, 5th ser., v. 31, no. 186, p. 421-449.
- Callaghan, E., 1933, Some features of the volcanic sequence in the Cascade Range in Oregon: American Geophysical Union Transactions, 14th Annual meeting, p. 243-249.
- 1934, Some aspects of the geology of the Cascade Range in Oregon (abs.): Washington Academy of Science Journal, v. 24, no. 4, p. 190-191.
- Callaghan, E., and Buddington, A.F., 1938, Metalliferous mineral deposits of the Cascade Range in Oregon: U.S. Geological Survey Bulletin 893, 141 p.
- Campbell, I., 1925, A geologic reconnaissance of the McKenzie River section of the Oregon Cascades with petrographic descriptions of some of the more important rock types: Eugene, Oreg., University of Oregon master's thesis, 56 p.
- Connard, G.G., 1980, Analysis of aeromagnetic measurements from the central Oregon Cascades: Corvallis, Oreg., Oregon State University master's thesis, 101 p.
- Connard, G.G., Couch, R.W., and Gemperle, M., 1979, Regional tectonic and thermal model of the central Cascades, Oregon, from magnetic data (abs.): EOS (American Geophysical Union Transactions), v. 60, no. 46, p. 959.

- Connard, G.G., Gemperle, M., and Couch, R.W., 1978, A new aeromagnetic anomaly map of the central Cascades region of Oregon (abs.): EOS (American Geophysical Union Transactions), 25th Pacific N.W. Region meeting, Tacoma, Wash. (unpublished).
- Couch, R.W., 1978, Geophysical investigations of the Cascade Range in central Oregon: U.S. Geological Survey Extramural Geothermal Research Program, Technical Report 4 (unpublished), 133 p.
- Couch, R.W., and Baker, B., 1977, Geophysical investigations of the Cascade Range in central Oregon: U.S. Geological Survey Extramural Geothermal Research Program, Technical Report 2 (unpublished), 55 p.
- Couch, R.W., Gemperle, M., and Connard, G.G., 1978, Total field aeromagnetic anomaly map, Cascade Mountain Range, central Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-9, scale 1:125,000.
- Dickinson, W.R., 1979, Cenozoic plate tectonic setting of the Cordilleran region in the United States, in Armentrout, J.M., Cole, M.R., and Terbest, H., Jr., eds., Cenozoic paleogeography of the western United States: Pacific Coast Paleogeography Symposium 3, Anaheim, Calif., March 15-16, 1979, p. 1-13.
- Dole, H.M., ed., 1968, Andesite Conference guidebook: Oregon Department of Geology and Mineral Industries Bulletin 62, 107 p.
- Godwin, L.H., Haigler, L.B., Rioux, R.L., White, D.E., Muffler, L.J.P., and Wayland, R.G., 1971, Classification of public lands valuable for geothermal steam and associated geothermal resources: U.S. Geological Survey Circular 647, 18 p.
- Greene, R.C., 1968, Petrography and petrology of volcanic rocks in the Mount Jefferson area, High Cascade Range, Oregon: U.S. Geological Survey Bulletin 1251-G, 48 p.
- Groh, E.A., 1966, Geothermal energy potential in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 28, no. 7, p. 125-135.
- Hammond, P.E., 1974, Brief outline to volcanic stratigraphy and guide to geology of southern Cascade Range, Washington, and northern Cascade Range, Oregon: Oregon Department of Geology and Mineral Industries unpublished report, 51 p.
- _____, 1976, Geothermal model for the Cascade Range: Oregon Department of Geology and Mineral Industries unpublished report, 20 p.
- _____, 1979, A tectonic model for evolution of the Cascade Range, in Armentrout, J.M., Cole, M.R., and Terbest, H., Jr., eds., Cenozoic paleogeography of the western United States: Pacific Coast Paleogeography Symposium 3, Anaheim, Calif., March 15-16, 1979, p. 219-237.

- Hodge, E.T., 1925, Mount Multnomah, ancient ancestor of the Three Sisters: Eugene, Oreg., University of Oregon Publication, v. 3, no. 2, 160 p.
- _____, 1928, Framework of Cascade Mountains in Oregon: Pan-American Geologist, v. 49, no. 5, p. 341-356.
- _____, 1931, Geologic map of north central Oregon: Eugene, Oreg., University of Oregon Publication, Geology Series, v. 1, no. 5, scale 1:250,000.
- Hull, D.A., Blackwell, D.D., and Black, G.L., 1978, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-78-4, 187 p.
- Hull, D.A., Bowen, R.G., Blackwell, D.D., and Peterson, N.V., 1977, Preliminary heat-flow map and evaluation of Oregon's geothermal energy potential: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 39, no. 7, p. 109-123.
- Jan, M.Q., 1967, Geology of the McKenzie River valley between the South Santiam Highway and the McKenzie Pass Highway, Oregon: Eugene, Oreg., University of Oregon master's thesis, 70 p.
- Kittleman, L.R., 1973, Mineralogy, correlation, and grain-size distributions of Mazama tephra and other postglacial pyroclastic layers, Pacific Northwest: Geological Society of America Bulletin, v. 84, no. 9, p. 2957-2980.
- Lawrence, R.D., 1976, Strike-slip faulting terminates the Basin and Range province in Oregon: Geological Society of America Bulletin, v. 87, no. 6, p. 846-850.
- Mackin, J.H., and Cary, A.S., 1965, Origin of Cascade landscapes: Washington Division of Mines and Geology Information Circular 41, 35 p.
- Mariner, R.H., Presser, T.S., Rapp, J.B., and Willey, L.M., 1975, The minor and trace elements, gas, and isotope compositions of the principal hot springs of Nevada and Oregon: U.S. Geological Survey open-file report, 27 p.
- Mariner, R.H., Rapp, J.B., Willey, L.M., and Presser, T.S., 1974, The chemical composition and estimated minimum thermal reservoir temperatures of selected hot springs in Oregon: U.S. Geological Survey open-file report, 27 p.
- Mariner, R.H., Swanson, J.R., Orris, G.J., Presser, T.S., and Evans, W.C., 1980, Chemical and isotopic data for water from thermal springs and wells of Oregon: U.S. Geological Survey Open-File Report 80-737, 50 p.
- McBirney, A.R., 1968, Petrochemistry of the Cascade andesite volcanoes, in Dole, H.M., ed., Andesite Conference guidebook: Oregon Department of Geology and Mineral Industries Bulletin 62, p. 101-107.
- _____, 1975, Consequences of recent stratigraphic studies in the Oregon Cascade Range (abs.): Proceedings of the Oregon Academy of Science, v. 11, p. 83.

- McBirney, A.R., 1976, Some geologic constraints on models for magma generation in orogenic environments: *Canadian Mineralogist*, v. 14, no. 3, p. 245-254.
- McBirney, A.R., Sutter, J.F., Naslund, H.R., Sutton, K.G., and White, C.M., 1974, Episodic volcanism in the central Oregon Cascade Range: *Geology*, v. 2, no. 12, p. 585-589.
- McBirney, A.R., and White, C.M., 1977, Some quantitative aspects of orogenic volcanism in the Oregon Cascades (abs.): *Geological Society of America Abstracts with Programs*, v. 9, no. 7, p. 1087.
- , 1978, Recent progress in studies of the Oregon Cascades (abs.): *Proceedings of the Oregon Academy of Science*, v. 14, p. 157-158.
- Muffler, L.J.P., ed., 1979, Assessment of geothermal resources of the United States--1978: U.S. Geological Survey Circular 790, 163 p.
- Peck, D.L., Griggs, A.B., Schlicker, H.G., Wells, F.G., and Dole, H.M., 1964, Geology of the central and northern parts of the Western Cascade Range in Oregon: U.S. Geological Survey Professional Paper 449, 56 p.
- Peterson, N.V., and Groh, E.A., eds, 1965, Lunar Geological Field Conference guidebook: Oregon Department of Geology and Mineral Industries Bulletin 57, 51 p.
- Peterson, N.V., and Youngquist, W., 1975, Central Western and High Cascades geological reconnaissance and heat flow hole location recommendations: Oregon Department of Geology and Mineral Industries Open-File Report 0-75-2, 41 p.
- Pitts, G.S., 1979, Interpretation of gravity measurements made in the Cascade Mountains and the adjoining Basin and Range province in central Oregon: Corvallis, Oreg., Oregon State University master's thesis, 186 p.
- Pitts, G.S., Connard, G.G., Gemperle, M., and Couch, R.W., 1978, Gravity and aeromagnetic measurements in the central Cascades of Oregon (abs.): *EOS (American Geophysical Union Transactions)*, v. 59, no. 12, p. 1188-1189.
- Pitts, G.S., and Couch, R.W., 1978, Complete Bouguer gravity anomaly map, Cascade Mountain Range, central Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-8, scale 1:125,000.
- Riccio, J.F., compiler, 1979, Preliminary geothermal resource map of Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-11, scale 1:500,000.
- , 1980, Geothermal exploration in Oregon, 1979: Oregon Department of Geology and Mineral Industries, *Oregon Geology*, v. 42, no. 4, p. 59-69.
- Riccio, J.F., and Newton, V.C., Jr., 1979, Geothermal exploration in Oregon in 1978: Oregon Department of Geology and Mineral Industries, *Oregon Geology*, v. 41, no. 3, p. 39-46.

- Sass, J.H., Lachenbruch, A.H., Munroe, R.J., Green, G.W., and Moses, T.H., Jr., 1971, Heat flow in the western United States: *Journal of Geophysical Research*, v. 76, no. 26, p. 6376-6413.
- Stearns, H.T., 1928, Geology and water resources of the upper McKenzie valley, Oregon: U.S. Geological Survey Water-Supply Paper 597, p. 171-188.
- Storch, S.G.P., 1978, Geology of the Blue River Mining District, Linn and Lane Counties, Oregon: Corvallis, Ore., Oregon State University master's thesis, 70 p.
- Sutter, J.F., 1978, K/Ar ages of Cenozoic volcanic rocks from the Oregon Cascades west of 121° 30': *Isochron/West*, no. 21, p. 15-31.
- Swanson, F.J., and James, M.E., 1975a, Geology and geomorphology of the H.J. Andrews Experimental Forest, Western Cascades, Oregon: U.S. Department of Agriculture Forest Service Research Paper PNW-188, 14 p.
- 1975b, Geomorphic history of the lower Blue River-Lookout Creek area, Western Cascades, Oregon: *Northwest Science*, v. 49, no. 1, p. 1-11.
- Taylor, E.M., 1965, Recent volcanism between Three Fingered Jack and North Sister, Oregon Cascade Range: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 27, no. 7, p. 121-147.
- 1967, Recent volcanism between Three Fingered Jack and North Sister, Oregon Cascade Range: Pullman, Wash., Washington State University doctoral dissertation, 84 p.
- 1968, Roadside geology, Santiam and McKenzie Pass Highways, Oregon, in Dole, H.M., ed., *Andesite Conference guidebook: Oregon Department of Geology and Mineral Industries Bulletin 62*, p. 1-33.
- 1978, Field geology of S.W. Broken Top quadrangle, Oregon: Oregon Department of Geology and Mineral Industries Special Paper 2, 50 p.
- 1980, Volcanic and volcanoclastic rocks on the east flank of the central Cascade Range to the Deschutes River, Oregon, in Oles, K.F., Johnson, J.G., Niem, A.R., and Niem, W.A., eds., *Geologic field trips in western Oregon and southwestern Washington: Oregon Department of Geology and Mineral Industries Bulletin 101*, p. 1-7.
- Taylor, H.P., 1971, Oxygen isotope evidence for large-scale interaction between meteoric groundwaters and Tertiary granodiorite intrusions, Western Cascade Range, Oregon: *Journal of Geophysical Research*, v. 76, p. 7855-7874.
- Thayer, T.P., 1937, Petrology of later Tertiary and Quaternary rocks of the north-central Cascade Mountains in Oregon, with notes on similar rocks in western Nevada: *Geological Society of America Bulletin*, v. 48, no. 11, p. 1611-1651.

- Thiruvathukal, J.V., 1968, Regional gravity of Oregon: Corvallis, Oreg., Oregon State University doctoral dissertation, 92 p.
- Tuck, R., 1927, The geology and ore deposits of the Blue River Mining District: Eugene, Oreg., University of Oregon master's thesis, 60 p.
- U.S. Forest Service, 1979, Belknap-Foley geothermal area: Eugene, Oreg., U.S.D.A., Willamette National Forest, draft environmental statement for geothermal leasing 06-18-79-11, 224 p., supplement, 80 p.
- U.S. Geological Survey and Oregon Department of Geology and Mineral Industries, 1979, Chemical analyses of thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Open-File Report 0-79-3, 170 p.
- Walker, G.W., Greene, R.C., and Pattee, E.C., 1966, Mineral resources of the Mount Jefferson primitive area, Oregon: U.S. Geological Survey Bulletin 1230-D, 32 p.
- Wells, F.G., and Peck, D.L., 1961, Geologic map of Oregon west of the 121st meridian: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-325, scale 1:500,000.
- Wheeler, H.E., and Mallory, V.S., 1970, Oregon Cascades in relation to Cenozoic stratigraphy, in Columbia River Basalt Symposium, 2nd, Cheney, Wash., 1969, Proceedings: Cheney, Wash., Eastern Washington State College Press, p. 97-124.
- Wilkinson, W.D., and Schlicker, H.G., 1959, Field trip 3, Corvallis to Prineville via Bend and Newberry Crater, in Field guidebook: geologic trips along Oregon highways: Oregon Department of Geology and Mineral Industries Bulletin 50, p. 43-72.
- Williams, H., 1944, Volcanoes of the Three Sisters region, Oregon Cascades: University of California, Department of Geological Sciences Bulletin, v. 27, no. 3, p. 37-83.
- _____, 1953, The ancient volcanoes of Oregon (2d ed.): Eugene, Oreg., Oregon State System of Higher Education, Condon Lectures, 68 p.
- _____, 1957, A geologic map of the Bend quadrangle, Oregon, and a reconnaissance geologic map of the central portion of the High Cascade Mountains: Oregon Department of Geology and Mineral Industries in cooperation with the U.S. Geological Survey, scales 1:125,000 and 1:250,000.

WILLAMETTE PASS

The Willamette Pass area is located south and west of the Belknap-Foley area immediately east of the city of Oakridge. The information for the Willamette Pass area to be included in the open-file report is listed in Table 4. These data include an aeromagnetic, gravity, and lineament study map at a scale of 1:250,000 and a geologic map and geologic cross sections at a scale of 1:62,500. Pertinent rock chemistry and potassium-argon age-date results together with geothermal-gradient data will be presented in the form of overlays on the geologic map. Summarized in this annual report are available water-chemistry data and geothermal-gradient data. These data will also be included in the open-file report.

The implications of the aeromagnetic and gravity data are essentially the same as in the Belknap-Foley area a few miles to the north. In addition to the trends observed to the north, the Eugene-Denio lineament trends N.65°W. across the study area, and a major east-west lineament trends along the North Fork of the Middle Fork of the Willamette River. This east-west trend also appears in the gravity data and as a line of Miocene intrusives in the geology. As there is a major Miocene silicic volcanic center located within the Willamette Pass study area, the geologic setting is much more complicated than the Belknap-Foley area. This volcanic center has been dated at around 20 m.y. and represents a lower limit for the Sardine Formation of Peck and others (1964), which overlies this volcanic center.

Available water analyses are shown on Table 5. Unmixed reservoir temperatures based on silica content are below 120°C; however, mixing models calculated by Bowen in an unpublished report to the city of Oakridge suggest

TABLE 4

Contents of open-file release
on Willamette Pass low-temperature geothermal resource area

<u>Item</u>	<u>Scale</u>	<u>Comments</u>
Aeromagnetic map	1:250,000	
Gravity map	1:250,000	
Lineament map	1:250,000	
Geologic map	1:62,500	122°00'00" to 122°00'00" 43°30'00" to 44°00'00"
Geologic cross sections	1:62,500	
Rock chemistry, age data, gradient data, water chemistry	1:62,500	Overlays on geologic map
Well and spring chemistry	--	Table
Geothermal-gradient/ heat-flow data	--	Table
Brief text	--	
Bibliography	--	

reservoir temperatures as high as 150-180°C for some of the thermal waters. For the open-file report, mixing models and silica and sodium-potassium-calcium temperatures will be calculated for all of the spring and well data collected. No holes have been drilled as part of the project, but a number of heat-flow holes are available from previous projects, and several holes are planned for 1980-81. Available data are listed in Table 6. As is the case for the Belknap-Foley area, the geothermal data indicate the west-to-east increase in heat flow toward the High Cascades, with the same or possibly slightly lower background values of gradient and heat flow observed to the north.

TABLE 6. Locations and geothermal gradients for the Willamette Pass low-temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files.

TOWNSHIP/ RANGE- SECTION	GEOLOGICAL PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	CORR. GRAD. °C/km	QUALITY
20S/ 3E- 26DA	WC	43-48.0	122-25.0	CS-WW 9/28/76	719	45.0 70.0	25.1	B
						70.0 140.0	38.8	B
20S/ 4E- 27DDD	WH	43-47.9	122-18.8	WALL CRK 6/ 4/80	582	20.0 90.0		
						95.0 135.0		
20S/ 3E- 26CD	WC	43-47.9	122-25.2	AE-WW 8/19/76	707	10.0 80.0	25.6	B
						80.0 125.0	36.3	B
21S/ 3E- 10AD	WC	43-45.6	122-25.9	FC-WW 9/28/76	548	25.0 100.0	35.6	B
21S/ 4E- 28AD		43-43.1	122-20.0	CR-MCHSE 9/29/76	533		60.0	B
21S/ 3E- 35B3	WC	43-42.5	122-25.5	DH-Z-2 11/25/75	459	60.0 79.0		C
21S/ 3E- 35B1	WC	43-42.5	122-25.5	DH-Z-5 11/25/75	413	20.0 27.5		C
21S/ 3E- 35B2	WC	43-42.5	122-25.5	DH-Z-8 11/25/75	459	55.0 63.0		C
22S/ 5E- 26BC		43-38.2	122-11.3	CR-MCHSW 9/29/76	975	30.0 150.0	51.8	B

BIBLIOGRAPHY OF THE WILLAMETTE PASS AREA

- Allen, J.E., 1966, The Cascade Range volcano-tectonic depression of Oregon, in Transactions, Lunar Geological Field Conference, Bend, Oreg., August 1965: Oregon Department of Geology and Mineral Industries, p. 21-23.
- Armstrong, R.L., Taylor, E.M., Hales, P.O., and Parker, D.J., 1975, K-Ar dates for volcanic rocks, central Cascade Range of Oregon: Isochron/West, no. 13, p. 5-10.
- Ashwill, W.R., 1951, The geology of the Winberry Creek area, Lane County, Oregon: Eugene, Oreg., University of Oregon master's thesis, 63 p.
- Baldwin, E.M., 1976, Geology of Oregon (revised ed.): Dubuque, Iowa, Kendall/Hunt Publishing Co., 147 p.
- Bales, W.E., 1951, Geology of the lower Brice Creek area, Lane County, Oregon: Eugene, Oreg., University of Oregon master's thesis, 53 p.
- Barnes, C.G., and Ritchey, J.L., 1978, Tectonic implications of structural patterns in the Cascades of southern Oregon (abs): Proceedings of the Oregon Academy of Science, v. 14, p. 141-142.
- Beaulieu, J.D., 1971, Geologic formations of western Oregon (west of longitude 121° 30'): Oregon Department of Geology and Mineral Industries Bulletin 70, 72 p.
- Blackwell, D.D., 1969, Heat flow determinations in the northwestern United States: Journal of Geophysical Research, v. 74, no. 4, p. 997-1007.
- Blackwell, D.D., Hull, D.A., Bowen, R.G., and Steele, J.L., 1978, Heat flow of Oregon: Oregon Department of Geology and Mineral Industries Special Paper 4, 42 p.
- Blackwell, D.D., Steele, J.L., and Riccio, J.F., 1979, Heat flow of the Oregon Cascade Range (abs.): EOS (American Geophysical Union Transactions), v. 60, no. 46, p. 960.
- Bodvarsson, G., Couch, R.W., MacFarlane, W.T., Tank, R.W., and Whitsett, R.M., 1974, Telluric current exploration for geothermal anomalies in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 36, no. 6, p. 93-107.
- Bogue, R.G., and Hodge, E.T., 1940, Cascade andesites of Oregon: American Mineralogist, v. 25, no. 10, p. 627-665.
- Bowen, R.G., 1972, Geothermal gradient studies in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 34, no. 4, p. 68-71.
- 1975, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report O-75-3, 133 p.

- Bowen, R.G., and Blackwell, D.D., 1973, Progress report on geothermal measurements in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 35, no. 1, p. 6-7.
- Bowen, R.G., Blackwell, D.D., and Hull, D.A., 1975, Geothermal studies and exploration in Oregon (draft final report to U.S. Bureau of Mines): Oregon Department of Geology and Mineral Industries Open-File Report 0-75-7, 65 p.
- 1977, Geothermal exploration studies in Oregon: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 19, 50 p.
- Bowen, R.G., and Peterson, N.V., compilers, 1970, Thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 14 (map), scale 1:1,000,000 (approx.).
- Bowen, R.G., Peterson, N.V., and Riccio, J.F., compilers, 1978, Low- to intermediate-temperature thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-10, scale 1:1,000,000.
- Brown, D.E., McLean, G.D., Gest, D.E., Woller, N.M., and Black, J.L., 1980, Reconnaissance geology of the Oakridge-Willamette Pass area, central Cascades, Oregon (abs.): Oregon Department of Geology and Mineral Industries, Oregon Geology, v. 42, no. 4, p. 69.
- Buddington, A.F., and Callaghan, E., 1936, Dioritic intrusive rocks and contact metamorphism in the Cascade Range in Oregon: American Journal of Science, 5th ser., v. 31, no. 186, p. 421-449.
- Callaghan, E., 1933, Some features of the volcanic sequence in the Cascade Range in Oregon: American Geophysical Union Transactions, 14 Annual Meeting, p. 243-249.
- 1934, Some aspects of the geology of the Cascade Range in Oregon (abs.): Washington Academy of Science Journal, v. 24, no. 4, p. 190-191.
- Callaghan, E., and Buddington, A.F., 1938, Metalliferous mineral deposits of the Cascade Range in Oregon: U.S. Geological Survey Bulletin 893, 141 p.
- Connard, G.G., 1980, Analysis of aeromagnetic measurements from the central Oregon Cascades: Corvallis, Oreg., Oregon State University master's thesis, 101 p.
- Connard, G.G., Couch, R.W., and Gemperle, M., 1979, Regional tectonic and thermal model of the central Cascades, Oregon, from magnetic data (abs.): EOS (American Geophysical Union Transactions), v. 60, no. 46, p. 959.
- Connard, G.G., Gemperle, M., and Couch, R.W., 1978, A new aeromagnetic anomaly map of the central Cascades region of Oregon (abs.): EOS (American Geophysical Union Transactions), 25th Pacific Northwest Region Meeting, Tacoma, Wash. (unpublished).
- Couch, R.W., 1978, Geophysical investigations of the Cascade Range in central Oregon: U.S. Geological Survey Extramural Geothermal Research Program Technical Report 4 (unpublished), 133 p.

- Couch, R.W., and Baker, B., 1977, Geophysical investigations of the Cascade Range in central Oregon: U.S. Geological Survey Extramural Geothermal Research Program Technical Report 2 (unpublished), 55 p.
- Couch, R.W., Gemperle, M., and Connard, G.G., 1978, Total field aeromagnetic anomaly map, Cascade Mountain Range, central Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-9, scale 1:125,000.
- Dickinson, W.R., 1979, Cenozoic plate tectonic setting of the Cordilleran region in the United States, in Armentrout, J.M., Cole, M.R., and Terbest, H., Jr., eds., Cenozoic paleogeography of the western United States: Pacific Coast Paleogeography Symposium 3, Anaheim, Calif., March 15-16, 1979, p. 219-237.
- Dole, H.M., ed., 1968, Andesite Conference guidebook: Oregon Department of Geology and Mineral Industries Bulletin 62, 107 p.
- Godwin, L.H., Haigler, L.B., Rioux, R.L., White, D.E., Muffler, L.J.P., and Wayland, R.G., 1971, Classification of public lands valuable for geothermal steam and associated geothermal resources: U.S. Geological Survey Circular 647, 18 p.
- Groh, E.A., 1966, Geothermal energy potential in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 28, no. 7, p. 125-135.
- Hammond, P.E., 1974, Brief outline to volcanic stratigraphy and guide to geology of southern Cascade Range, Washington, and northern Cascade Range, Oregon: Oregon Department of Geology and Mineral Industries unpublished report, 51 p.
- , 1976, Geothermal model for the Cascade Range: Oregon Department of Geology and Mineral Industries unpublished report, 20 p.
- , 1979, A tectonic model for evolution of the Cascade Range, in Armentrout, J.M., Cole, M.R., and Terbest, H., Jr., eds., Cenozoic paleogeography of the western United States: Pacific Coast Paleogeography Symposium 3, Anaheim, Calif., March 15-16, 1979, p. 219-237.
- Hodge, E.T., 1928, Framework of Cascade Mountains in Oregon: Pan-American Geologist, v. 49, no. 5, p. 341-356.
- Hull, D.A., Blackwell, D.D., and Black, G.L., 1978, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-78-4, 187 p.
- Hull, D.A., Bowen, R.G., Blackwell, D.D., and Peterson, N.V., 1977, Preliminary heat-flow map and evaluation of Oregon's geothermal energy potential: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 39, no. 7, p. 109-123.
- Kittleman, L.R., 1973, Mineralogy, correlation, and grain-size distributions of Mazama tephra and other postglacial pyroclastic layers, Pacific Northwest: Geological Society of America Bulletin, v. 84, no. 9, p. 2957-2980.

- Lawrence, R.D., 1976, Strike-slip faulting terminates the Basin and Range province in Oregon: Geological Society of America Bulletin, v. 87, no. 6, p. 846-850.
- Mackin, J.H., and Cary, A.S., 1965, Origin of Cascade landscapes: Washington Division of Mines and Geology Information Circular 41, 35 p.
- Mariner, R.H., Presser, T.S., Rapp, J.B., and Willey, L.M., 1975, The minor and trace elements, gas, and isotope compositions of the principal hot springs of Nevada and Oregon: U.S. Geological Survey open-file report, 27 p.
- Mariner, R.H., Rapp, J.B., Willey, L.M., and Presser, T.S., 1974, The chemical composition and estimated minimum thermal reservoir temperatures of selected hot springs in Oregon: Menlo Park, Calif., U.S. Geological Survey open-file report, 27 p.
- Mariner, R.H., Swanson, J.R., Orris, G.J., Presser, T.S., and Evans, W.C., 1980, Chemical and isotopic data for water from thermal springs and wells of Oregon: U.S. Geological Survey Open-File Report 80-737, 50 p.
- McBirney, A.R., 1968, Petrochemistry of the Cascade andesite volcanoes, in Dole, H.M., ed., Andesite Conference guidebook: Oregon Department of Geology and Mineral Industries Bulletin 62, p. 101-107.
- 1975, Consequences of recent stratigraphic studies in the Oregon Cascade Range (abs.): Proceedings of the Oregon Academy of Science, v. 11, p. 83.
- 1976, Some geologic constraints on models for magma generation in orogenic environments: Canadian Mineralogist, v. 14, no. 3, p. 245-254.
- McBirney, A.R., Sutter, J.F., Naslund, H.R., Sutton, K.G., and White, C.M., 1974, Episodic volcanism in the central Oregon Cascade Range: Geology, v. 2, no. 12, p. 585-589.
- McBirney, A.R., and White, C.M., 1977, Some quantitative aspects of orogenic volcanism in the Oregon Cascades (abs.): Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 1087.
- 1978, Recent progress in studies of the Oregon Cascades (abs.): Proceedings of the Oregon Academy of Science, v. 14, p. 157-158.
- Muffler, L.J.P., ed., 1979, Assessment of geothermal resources of the United States--1978: U.S. Geological Survey Circular 790, 163 p.
- Peck, D.L., Griggs, A.B., Schlicker, H.G., Wells, F.G., and Dole, H.M., 1964, Geology of the central and northern parts of the Western Cascade Range in Oregon: U.S. Geological Survey Professional Paper 449, 56 p.
- Peterson, N.V., and Groh, E.A., eds., 1965, Lunar Geological Field Conference guidebook: Oregon Department of Geology and Mineral Industries Bulletin 57, 51 p.

- Peterson, N.V., and Youngquist, W., 1975, Central Western and High Cascades geological reconnaissance and heat-flow hole location recommendations: Oregon Department of Geology and Mineral Industries Open-File Report 0-75-2, 41 p.
- Pitts, G.S., 1979, Interpretation of gravity measurements made in the Cascade Mountains and the adjoining Basin and Range province in central Oregon: Corvallis, Oreg., Oregon State University master's thesis, 186 p.
- Pitts, G.S., Connard, G.G., Gemperle, M., and Couch, R.W., 1978, Gravity and aeromagnetic measurements in the central Cascades of Oregon (abs.): EOS (American Geophysical Union Transactions), v. 59, no. 12, p. 1188-1189.
- Pitts, G.S., and Couch, R.W., 1978, Complete Bouguer gravity anomaly map, Cascade Mountain Range, central Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-8, scale 1:125,000.
- Riccio, J.F., compiler, 1979, Preliminary geothermal resource map of Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-11, scale 1:500,000.
- 1980, Geothermal exploration in Oregon, 1979: Oregon Department of Geology and Mineral Industries, Oregon Geology, v. 42, no. 4, p. 59-69.
- Riccio, J.F., and Newton, V.C., Jr., 1979, Geothermal exploration in Oregon in 1978: Oregon Department of Geology and Mineral Industries, Oregon Geology, v. 41, no. 3, p. 39-46.
- Sass, J.H., Lachenbruch, A.H., Munroe, R.J., Green, G.W., and Moses, T.H., Jr., 1971, Heat flow in the western United States: Journal of Geophysical Research, v. 76, no. 26, p. 6376-6413.
- Schlicker, H.G., and Dole, H.M., 1957, Reconnaissance geology of the Marcola, Leaburg, and Lowell quadrangles, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 19, no. 7, p. 57-62.
- Shannon and Wilson, Inc., 1970, Private report to Stone and Webster Engineering Corp. on preliminary subsurface investigation of proposed nuclear power plant sites for Eugene Water and Electric Board, Eugene, Oregon.
- Sutter, J.F., 1978, K/Ar ages of Cenozoic volcanic rocks from the Oregon Cascades west of 121° 30': Isochron/West, no. 21, p. 15-31.
- Taylor, H.P., 1971, Oxygen isotope evidence for large-scale interaction between meteoric groundwaters and Tertiary granodiorite intrusions, Western Cascade Range, Oregon: Journal of Geophysical Research, v. 76, p. 7855-7874.
- Thayer, T.P., 1937, Petrology of later Tertiary and Quaternary rocks of the north-central Cascade Mountains in Oregon, with notes on similar rocks in western Nevada: Geological Society of America Bulletin, v. 48, no. 11, p. 1611-1651.

- Thiruvathukal, J.V., 1968, Regional gravity of Oregon: Corvallis, Oreg., Oregon State University doctoral dissertation, 92 p.
- U.S. Geological Survey and Oregon Department of Geology and Mineral Industries, 1979, Chemical analyses of thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Open-File Report 0-79-3, 170 p.
- Wells, F.G., and Peck, D.L., 1961, Geologic map of Oregon west of the 121st meridian: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-325, scale 1:500,000.
- Wheeler, H.E., and Mallory, V.S., 1970, Oregon Cascades in relation to Cenozoic stratigraphy, in Columbia River Basalt Symposium, 2nd, Cheney, Wash., 1969, Proceedings: Cheney, Wash., Eastern Washington State College Press, p. 97-124.
- Wilkinson, W.D., and Schlicker, H.G., 1959, Field trip 3 (Corvallis to Prineville), in Field guidebook, College Teachers Conference in Geology, Corvallis, Oreg., 1959: Oregon Department of Geology and Mineral Industries Bulletin 50, p. 43-72.
- Williams, H., 1953, The ancient volcanoes of Oregon (2nd ed.): Eugene, Oreg., Oregon State System of Higher Education, Condon Lectures, 68 p.

NORTHERN AND SOUTHERN HARNEY BASIN

For convenience of study, the Harney Basin was divided into two areas, and individual open-file reports whose contents are indicated in Table 7 are being assembled for each area.

An aeromagnetic map of the southern part of Harney Basin (scale 1:250,000) contains the only published geophysical data available for the Basin. On the aeromagnetic map, an elliptical pattern extending from Wright Point to Crane in the area of Malheur Lake may be interpreted, in conjunction with the geologic study, to be the site of a caldera. In addition, there appears to be another caldera near Harney Lake along the west margin of the basin.

A lineament study compiled for both northern and southern areas at a scale of 1:250,000 indicates a complicated pattern of faulting. In the western half of the basin, the dominant trend is the Brothers fault zone (approximately N.45°W.); in the eastern half, the dominant trend is the north-south Basin-Range trend. The juncture of these two trends in the southeast corner of the study area is marked by complex faulting and lineaments, by structural doming, and by recent volcanism at Diamond Craters. The juncture in the northern end of the basin is marked by a structural discontinuity, silicic intrusions, and alteration along Soldier Creek which may represent a right-lateral wrench fault.

The geology of the basin has been detailed on five 15-minute quadrangles and ten 7½-minute quadrangles reduced to a scale of 1:62,500. Shown on the geologic map is a complex sequence of silicic intrusions, silicic ash flows, and basalt flows interspersed with faults. The oldest rocks in the area are the Owyhee, Steens, and Columbia River basalts, with ages ranging from

TABLE 7

Contents of open-file release
on Harney Basin low-temperature geothermal resource area

<u>Item</u>	<u>Scale</u>	<u>Comments</u>
Lineament map of part of North Harney Basin	1:250,000	
Geologic map of part of North Harney Basin	1:62,500	118°30'00" to 119°15'00" 43°30'00" to 43°45'00"
Geologic cross sections	1:62,500	
Rock chemistry, age data, gradient data, water chemistry	1:62,600	Overlays on geologic map
Well and spring chemistry	--	Table
Geothermal-gradient/ heat-flow data	--	Table
Brief text	--	
Bibliography	--	
Aeromagnetic map of part of South Harney Basin	1:250,000	
Lineament map of part of South Harney Basin	1:62,500	118°30'00" to 119°30'00" 43°00'00" to 43°30'00"
Geologic cross sections	1:62,500	
Rock chemistry, age data, gradient data, water chemistry	1:62,500	Overlays on geologic map
Well and spring chemistry	--	Table
Geothermal-gradient/ heat-flow data	--	Table
Brief text	--	
Bibliography	--	

12-20 m.y. The oldest silicic events are dated between 14.7 and 9.6 m.y. The period of ash eruptions extends between 12 and 6.5 m.y. ago. The youngest major sequence of rocks appears to be the basalts capping the highlands on the west margins of the basin and their related vent complexes, with age dates ranging from 2.3 to 2.9 m.y.

As part of the project, age dates have been obtained from several units of ambiguous age, particularly various basaltic vent complexes scattered throughout the basin. All the faulting in the young basalts definitely post-dates approximately 2.5 m.y., and some faults cut the Diamond Craters basalts, which have a hydration-rind age date of approximately 15,000 years. The alluvial fill of the basin does not appear to be offset by young faulting.

The water-chemistry data are shown in Table 8 and indicate moderate- to high-temperature resources. Several ground-water flow regimes appear to exist in the basin, and the effects of these different flow patterns must be sorted out for complete analysis of the geothermal potential based on the water-chemistry data.

The collection of gradient data, in the past, has been limited to logging pre-existing water wells and mineral exploration borings with a very few gradient borings drilled by DOGAMI and USGS. Data from these holes are presented in Tables 9a and 9b. In view of the extensive evidence of persistently high temperatures, the exploration of this area could benefit from an extensive program to drill holes deeper than 150 m. Limited 150-m deep drilling is planned for 1980. Complete analysis must wait until deep drilling is carried out.

TABLE 9A. Locations and geothermal gradients for the North Harney Basin low-temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files. Standard error shown below gradient value.

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km
22S/32E- 27BA	HL	43-38.5	118-52.3	TILLER 2 5/22/80	1277	10.0 57.0 20.0 57.0	78.7 7.6 72.1 4.7
22S/32E- 26BB	HL	43-38.3	118-51.6	TURDY 5/21/80	1279	10.0 40.0	68.1 3.6
22S/32E- 27CB	HL	43-38.1	118-52.8	TILLER 1 5/22/80	1265	5.0 45.0 45.0 100.0 5.0 100.0	69.8 .8 82.4 2.5 78.6 2.4
22S/33E- 27CD	BM	43-37.6	118-38.5	TEMPLE 5/20/80	1268	10.0 125.0 125.0 138.0	2.2 .4 464.7 5.1
22S/32E- 31DB	HL	43-37.2	118-55.7	BLACKBURN 5/22/80	1269	15.0 48.0	53.5 2.2
22S/32E- 34CC	HL	43-36.9	118-52.6	RICE 6/11/75	1260	.0 95.0	140.0
22S/32E- 34DD	HL	43-36.9	118-51.9	HWY 20 5/20/80	1261	10.0 35.0 35.0 60.0 10.0 62.0	573.7 15.2 181.7 .3 354.9 70.2
23S/32E- 6CB	BY	43-36.3	118-49.2	HANSON 5/22/80	1259	5.0 51.0	74.5 1.7
22S/32E- 27AC	HL	43-36.3	118-54.2	TILLER 3 5/22/80	1286	10.0 25.0 25.0 96.0	226.0 12.7 72.4 3.5

TABLE 9A. (continued)

TOWNSHIP/ RANGE- SECTION	GEOLOG. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
23S/29E- 10AD	BM	43-35.6	119-13.7	FED-1-10 10/ 8/77	1463			
24S/32E- 1AD	HL	43-31.3	118-49.3	NINEMILE 5/16/80	1257	10.0 35.0 35.0 60.0 60.0 130.0 130.0 160.0 10.0 160.0	273.5 3.8 189.5 .2 155.7 1.7 97.8 .1 165.8 14.1	
24S/32E- 8DA	HL	43-30.2	118-54.3	STEVENS 5/15/80	1256	5.0 176.0	18.5 2.3	

TABLE 9B. Locations and geothermal gradients for the South Harney Basin low-temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files except holes S1, S2, S3, V1, Lawen, MR-1 and MR-2 which have been published by Sass et al. (1976). Standard error shown below gradient value.

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
24S/32E- 9D	HL	43-30.0	118-39.0	S3	1255	40.0 203.0	82.0 1.0	A
						59.0 96.0	58.5 .3	A
24S/32E- 23DD	HL	43-28.3	118-43.9	LAWEN	1256	75.0 150.0	60.9 7.4	A
24S/34E- 19C	HL	43-28.0	118-35.0	S2	1262	60.0 183.0	69.5 .5	A
24S/33E- 35AD	HL	43-26.6	118-36.8	CRANE 7/21/75	1257	30.0 85.0	80.0 7.1	A
25S/31E- 4BB	HL	43-26.2	119- 1.1	BFZ-7511 9/16/75	1262	42.5 60.0	30.9 2.5	C
25S/33E- 3BD	HL	43-25.9	118-38.5	BFZ-7501 11/22/75	1274	10.0 28.6	188.3 18.9	A
25S/33E- 10BA	HL	43-25.2	118-38.3	ADAMS 5/14/80	1259	15.0 35.0	115.8 .1	
25S/33E- 11BBB	HL	43-25.2	118-37.7	ROSSBERG 6/12/75	1257	.0 65.0	60.0 7.0	A
25S/33E- 9CA	HL	43-24.7	118-39.8	WSB-1 5/14/80	1250	5.0 65.0	9.6 .8	
25S/33E- 10CA	HL	43-24.7	118-38.6	WSB-2 5/14/80	1256	15.0 21.0	26.2 2.7	
25S/33E- 10CD	HL	43-24.5	118-38.5	WSB-3 5/14/80	1254	10.0 51.5	45.3 5.9	
25S/33E- 9CC	HL	43-24.5	118-40.0	ARFORD 2 5/14/80	1250	5.0 55.0	27.4 3.9	
25S/33E- 9CD	HL	43-24.5	118-39.3	ARFORD 3 5/14/80	1250	5.0 165.0	6.8 1.3	
25S/33E- 11CD	HL	43-24.4	118-37.2	WSB-4 5/ 8/80	1254	10.0 57.0	9.1 2.5	

TABLE 9B. (continued)

TOWNSHIP/ RANGE- SECTION	GEOLOGICAL PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORRECTED GRAD. °C/km	QUALITY
25S/31E- 18A	HL	43-24.3	118-38.5	ATFORD 1 5/14/80	1250	5.0 20.0 5.0 107.5	59.6 1.9 34.3 12.5	
25S/31E- 21D	HL	43-22.0	119- 2.0	S1	1266	50.0 190.0	81.0 1.0	A
26S/34E- 31CC	HL	43-20.3	118-35.3	WINDYPT1 5/ 8/80	1257	10.0 30.0	7.2 1.4	
26S/33E- 2CD	HL	43-20.2	118-36.7	WINDYPT2 5/ 8/80	1253	10.0 58.0	86.4 4.2	
26S/33E- 11DC	HL	43-19.3	118-36.4	WINDYPT3 5/ 8/80	1252	5.0 45.0	85.1 3.9	
26S/33E- 13DA	HL	43-18.5	118-34.9	N TOMPSON 5/ 8/80	1257	10.0 52.0	108.9 37.0	
26S/30E- 19	XX	43-17.9	119- 9.8	VI	1250			X
26S/33E- 33BA	HL	43-16.6	118-39.1	DAVIS 2 5/ 7/80	1268	10.0 16.5	2.0 .2	
26S/33E- 35CC	HL	43-15.8	118-37.0	DAVIS 1 5/ 7/80	1254	10.0 34.5	12.5 1.8	
27S/33E- 3BA	HL	43-15.7	118-37.9	ALDERTON 5/ 7/80	1256	10.0 30.0	6.3 1.2	
27S/30E- 13CD	HL	43-13.2	118-56.0	HP-10 6/ 8/73	1280	25.0 60.0 60.0 130.0	130.4 2.5 61.6 1.5	A A
27S/32E- 23BB	HL	43-13.1	118-44.2	VOLTAGE 5/13/80	1335	20.0 95.0 100.0 190.0 20.0 190.0	49.8 2.2 67.8 .8 61.9 3.0	

TABLE 9B. (continued)

TOWNSHIP/ RANGE- SECTION	GEOLOGICAL PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
27S/30E- 20DB	HL	43-12.7	118-37.5	BECKLEY 5/13/80	1285	10.0 60.5	1.0 3.8	
27S/30E- 21DDB	HL	43-12.5	118-59.7	HP-4B 7/25/73	1289	10.0 35.0 35.0 110.0	223.2 8.5 132.8 1.0	A A
27S/30E- 27ACA	HL	43-12.1	118-58.7	HP-1 7/26/73	1320	10.0 65.0 65.0 75.0	160.0 1.8 55.0 2.9	A A
27S/30E- 26DCB	HL	43-11.5	118-57.2	HP-2B 7/26/73	1340	10.0 57.2	117.9 1.4	A
28S/32E- 36CC	HL	43- 5.3	118-43.0	DMND CRT 6/ 7/80	1277	10.0 54.0	39.4 3.0	
29S/32E- 6B	HL	43- 5.3	118-49.4	MR-1	1262	56.4 64.0 40.0 91.0	89.0 1.0 96.0 .6	A A A
29S/31E- 2B	HL	43- 5.2	118-50.9	MR-2	1260	57.9 62.5 89.3 92.0 60.0 100.0	65.0 2.0 83.0 3.0 74.2 .8	A A A A

BIBLIOGRAPHY OF THE HARNEY BASIN

- Baldwin, E.M., 1976, *Geology of Oregon* (revised ed.): Dubuque, Iowa, Kendall/Hunt, 147 p.
- Beaulieu, J.D., 1972, *Geologic formations of eastern Oregon (east of longitude 121° 30')*: Oregon Department of Geology and Mineral Industries Bulletin 73, 80 p.
- Beeson, M.H., 1969, *Correlation of ash-flows by trace element abundance (abs.)*: Proceedings of the Oregon Academy of Science, v. 4, p. 23-24.
- Berg, J.W., Jr., and Thiruvathukal, J.V., 1967, *Regional gravity of Oregon*: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 29, no. 6, p. 120-126.
- Blackwell, D.D., Hull, D.A., Bowen, R.G., and Steele, J.L., 1978, *Heat flow of Oregon*: Oregon Department of Geology and Mineral Industries Special Paper 4, 42 p.
- Blank, H.R., Jr., and Gettings, M.E., 1974, *Geophysical evidence of caldera structures in the Harney Basin of central eastern Oregon (abs.)*: EOS (American Geophysical Union Transactions), v. 55, no. 5, p. 557.
- Bodvarsson, G., Couch, R.W., MacFarlane, W.T., Tank, R.W., and Whitsett, R.M., 1974, *Telluric current exploration for geothermal anomalies in Oregon*: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 36, no. 6, p. 93-107.
- Bowen, R.G., 1972, *Geothermal gradient studies in Oregon*: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 34, no. 4, p. 68-71.
- , 1975, *Geothermal gradient data*: Oregon Department of Geology and Mineral Industries Open-File Report 0-75-3, 133 p.
- Bowen, R.G., Blackwell, D.D., and Hull, D.A., 1975, *Geothermal studies and exploration in Oregon (draft final report to U.S. Bureau of Mines)*: Oregon Department of Geology and Mineral Industries Open-File Report 0-75-7, 65.
- , 1977, *Geothermal exploration studies in Oregon*: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 19, 50 p.
- Bowen, R.G., Blackwell, D.D., Hull, D.A., and Peterson, N.V., 1976, *Progress report on heat-flow study of the Brothers fault zone, central Oregon*: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 38, no. 3, p. 39-46.
- Bowen, R.G., and Peterson, N.V., compilers, 1970, *Thermal springs and wells in Oregon*: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 14 (map), scale approx. 1:1,000,000.

- Bowen, R.G., Peterson, N.V., and Riccio, J.F., compilers, 1978, Low- to intermediate-temperature thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-10, scale approx. 1:1,000,000.
- Brooks, H.C., 1963, Quicksilver in Oregon: Oregon Department of Geology and Mineral Industries Bulletin 55, p. 204.
- Buwalda, J.P., 1921, Report on oil and gas possibilities of eastern Oregon: Oregon Bureau of Mines and Geology, The mineral resources of Oregon, v. 3, no. 2, p. 28-29.
- Campbell, I., Conel, J.E., Rogers, J.J.W., and Whitfield, J.M., 1959, Possible correlation of Rattlesnake and Danforth Formations of eastern Oregon (abs.): Geological Society of America Bulletin, v. 69, no. 12, pt. 2, p. 1678.
- Corcoran, R.E., 1956, Sedimentary basins in Oregon: World Oil, v. 143, no. 5, p. 140-142.
- Davenport, R.E., 1971, Geology of the Rattlesnake and older ignimbrites in the Paulina Basin and adjacent area, central Oregon: Corvallis, Ore., Oregon State University doctoral dissertation, 132 p.
- Dole, H.M., and Corcoran, R.E., 1954, Reconnaissance geology along U.S. Highway 20 between Vale and Buchanan, Malheur and Harney Counties, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 16, no. 6, p. 37-39.
- Enlows, H.E., and Davenport, R.E., 1971, Tertiary ignimbrites in central Oregon (abs.): Proceedings of the Oregon Academy of Science, v. 7, p. 75.
- Enlows, H.E., Parker, D., and Davenport, R.E., 1973, The Rattlesnake ignimbrite tongue (abs.): Geological Society of America Abstracts with Programs, v. 5, no. 1, p. 38-39.
- Godwin, L.H., Haigler, L.B., Rioux, R.L., White, D.E., Muffler, L.J.P., and Wayland, R.G., 1971, Classification of public lands valuable for geothermal steam and associated geothermal resources: U.S. Geological Survey Circular 647, 18 p.
- Greene, R.C., 1970, A crystal-rich ash-flow tuff in southeast Oregon (abs.): Geological Society of America Abstracts with Programs, v. 2, no. 2, p. 97-98.
- _____, 1972, Preliminary geologic map of the Burns and West Myrtle Butte 15-minute quadrangles, Oregon: U.S. Geological Survey Miscellaneous Field Studies Map MF-320, scale 1:62,500.
- _____, 1973, Petrology of the welded tuff of Devine Canyon, southeastern Oregon: U.S. Geological Survey Professional Paper 797, 26 p.

- Greene, R.C., Walker, G.W., and Corcoran, R.E., 1972, Geologic map of the Burns quadrangle, Oregon: U.S. Geological Survey Miscellaneous Geological Investigations Map I-680, scale 1:250,000.
- Groh, E.A., 1966, Geothermal energy potential in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 28, no. 7, p. 125-135.
- Hull, D.A., Blackwell, D.D., and Black, G.L., 1978, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-78-4, 187 p.
- Hull, D.A., Blackwell, D.D., Bowen, R.G., and Peterson, N.V., 1977, Heat-flow study of the Brothers fault zone, Oregon: Oregon Department of Geology and Mineral Industries Open-File Report 0-77-3, 43 p.
- Hull, D.A., Blackwell, D.D., Bowen, R.G., Peterson, N.V., and Black, G.L., 1977, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-77-2, 134 p.
- Hull, D.A., Bowen, R.G., Blackwell, D.D., and Peterson, N.V., 1976, Geothermal gradient data, Brothers fault zone, Oregon: Oregon Department of Geology and Mineral Industries Open-File Report 0-76-2, 24 p.
- _____, 1977, Preliminary heat-flow map and evaluation of Oregon's geothermal energy potential: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 39, no. 7, p. 109-123.
- Hull, D.A., and Newton, V.C., Jr., 1977, Geothermal activity in 1976: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 39, no. 1, p. 7-15.
- Leonard, A.R., 1970, Ground water resources in Harney Valley, Harney County, Oregon: Oregon State Engineer Ground Water Report 16, 85 p.
- Lund, E.H., 1962, Welded tuff in the Danforth Formation (abs.): Oregon Department of Geology and Mineral Industries, Ore Bin, v. 24, no. 2, p. 24.
- _____, 1966, Zoning in an ash flow of the Danforth Formation, Harney County, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 28, no. 9, p. 161-170.
- MacLeod, N.S., Walker, G.W., and McKee, E.H., 1975, Geothermal significance of eastward increase in age of upper Cenozoic rhyolitic domes in southeastern Oregon: U.S. Geological Survey Open-File Report 75-348, 22 p.
- Maloney, N.J., 1962, Tertiary and Quaternary faulting in southwestern Harney County, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 24, no. 2, p. 21-22.
- Mariner, R.H., Presser, T.S., Rapp, J.B., and Willey, L.M., 1975, The minor and trace elements, gas, and isotope compositions of the principal hot springs of Nevada and Oregon: U.S. Geological Survey open-file report, 27 p.

- Mariner, R.H., Rapp, J.B., Willey, L.M., and Presser, T.S., 1974, The chemical composition and estimated minimum thermal reservoir temperatures of selected hot springs in Oregon: U.S. Geological Survey open-file report, 27 p.
- Mariner, R.H., Swanson, J.R., Orris, G.J., Presser, T.S., and Evans, W.C., 1980, Chemical and isotopic data for water from thermal springs and wells of Oregon: U.S. Geological Survey Open-File Report 80-737, 50 p.
- McKee, E.H., MacLeod, N.S., and Walker, G.W., 1976, K/Ar ages of late Cenozoic silicic volcanic rocks, southeast Oregon: *Isochron/West*, no. 15, p. 37-41.
- Merriam, J.C., Stock, C., and Moody, C.L., 1925, The Pliocene Rattlesnake Formation and fauna of eastern Oregon, with notes on the geology of the Rattlesnake and Mascall deposits: Carnegie Institution of Washington Publication 347, p. 43-92.
- Muffler, L.J.P., ed., 1979, Assessment of geothermal resources of the United States--1978: U.S. Geological Survey Circular 790, 163 p.
- Newton, V.C., Jr., and Hull, D.A., 1978, Geothermal energy in 1977: Oregon Department of Geology and Mineral Industries, *Ore Bin*, v. 40, no. 1, p. 8-16.
- Parker, D.J., 1974, Petrology of selected volcanic rocks of the Harney Basin, Oregon: Corvallis, Ore., Oregon State University doctoral dissertation, 119 p.
- Parker, D., and Armstrong, R.L., 1972, K-Ar dates and Sr isotope initial ratios for volcanic rocks in the Harney Basin, Oregon: *Isochron/West*, no. 5, p. 7-12.
- Peterson, N.V., and Groh, E.A., 1964, Diamond Craters, Oregon: Oregon Department of Geology and Mineral Industries, *Ore Bin*, v. 26, no. 2, p. 17-34.
- Piper, A.M., 1936, Resume of the geologic history of the Harney Basin, Oregon: Geological Society of the Oregon Country Geological News Letter, v. 2, no. 8, p. 9-12.
- Piper, A.M., Robinson, T.W., and Park, C.F., Jr., 1939, Geology and groundwater resources of the Harney Basin, Oregon: U.S. Geological Survey Water-Supply Paper 841, 189 p.
- Riccio, J.F., compiler, 1979, Preliminary geothermal resource map of Oregon, 1978: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-11, scale 1:500,000.
- , 1980, Geothermal exploration in Oregon, 1979: Oregon Department of Geology and Mineral Industries, *Oregon Geology*, v. 42, no. 4, p. 59-69.
- Riccio, J.F., and Newton, V.C., Jr., 1979, Geothermal exploration in Oregon in 1978: Oregon Department of Geology and Mineral Industries, *Oregon Geology*, v. 41, no. 3, p. 39-46.

- Russell, I.C., 1884, A geological reconnaissance in southern Oregon: U.S. Geological Survey 4th Annual Report, 1882-83, p. 465-473.
- _____, 1903a, Notes on the geology of southwestern Idaho and southeastern Oregon: U.S. Geological Survey Bulletin 217, p. 36-69.
- _____, 1903b, Preliminary report on artesian basins in southwestern Idaho and southeastern Oregon: U.S. Geological Survey Water-Supply Paper 78, p. 38-43.
- _____, 1905, Preliminary report on the geology and water resources of central Oregon: U.S. Geological Survey Bulletin 252, p. 36-54.
- Sass, J.H., Galanis, S.D., Jr., Munroe, R.J., and Urban, T.C., 1976, Heat-flow data from southeastern Oregon: U.S. Geological Survey Open-File Report 76-217, 52 p.
- Sass, J.H., Lachenbruch, A.H., Munroe, R.J., Green, G.W., and Moses, T.H., Jr., 1971, Heat flow in the western United States: *Journal of Geophysical Research*, v. 76, no. 26, p. 6376-6413.
- Sass, J.H., and Munroe, R.J., 1973, Temperature gradients in Harney County, Oregon: U.S. Geological Survey Open-File Report 73-247, 3 p., 7 figs.
- Stearns, N.D., Stearns, H.T., and Waring, G.A., 1937, Thermal springs in the United States: U.S. Geological Survey Water-Supply Paper 679-B, p. 59-206.
- Stone, C.J., 1931, Petroleum reconnaissance report, Harney Basin: Oregon Department of Geology and Mineral Industries, unpublished, 9 p. (geol. map, 1930, 1:125,000).
- Thayer, T.P., 1952, The tuff member of the Rattlesnake Formation of eastern Oregon--an ignimbrite (abs.): *American Geophysical Union Transactions*, v. 33, p. 327.
- Thiruvathukal, J.V., 1968, Regional gravity of Oregon: Corvallis, Oreg., Oregon State University doctoral dissertation, 92 p.
- U.S. Geological Survey, 1968, Volcanic rocks and stratigraphy in Washington and Oregon, in *Geological Survey research 1968*: U.S. Geological Survey Professional Paper 600-A, p. A35-A36 (R.C. Greene and G.W. Walker; D.R. Crandall; D.R. Mullineaux; R.S. Sigafos and E.L. Hendricks, investigators).
- _____, 1972, Aeromagnetic map of the Adel and parts of the Burns, Boise, and Jordan Valley 1° by 2° quadrangles, Oregon: U.S. Geological Survey Open-File Report 72-390, scale 1:250,000.
- _____, 1973, Ground-water gradients near Malheur Lake, in *Geological Survey research 1973*: U.S. Geological Survey Professional Paper 850, p. 186 (L.L. Hubbard and A.R. Leonard, investigators).
- U.S. Geological Survey and Oregon Department of Geology and Mineral Industries, 1979, Chemical analyses of thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Open-File Report 0-79-3, 170 p.

- Van Orstrand, C.E., 1938, Temperatures in the lava beds of east-central and south-central Oregon: American Journal of Science, 5th Series, v. 35, no. 205, p. 22-46.
- Walker, G.W., 1969a, Possible fissure vent for a Pliocene ash-flow tuff, Buzzard Creek area, Harney County, Oregon, in Geological Survey research 1969: U.S. Geological Survey Professional Paper 650-C, p. C8-C17.
- 1969b, Geology of the High Lava Plains province, in Weissenborn, A.E., ed., Mineral and water resources of Oregon: Oregon Department of Geology and Mineral Industries Bulletin 64, p. 77-79.
- 1970, Cenozoic ash-flow tuffs of Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 32, no. 6, p. 97-115.
- 1974, Some implications of late Cenozoic volcanism to geothermal potential in the High Lava Plains of south-central Oregon: U.S. Geological Survey Open-File Report 74-121, 14 p.
- 1977, Geologic map of Oregon east of the 121st meridian: U.S. Geological Survey Miscellaneous Investigations Series Map I-902 (prepared in cooperation with the Oregon Department of Geology and Mineral Industries), scale 1:500,000, 2 sheets.
- 1979, Revisions to the Cenozoic stratigraphy of Harney Basin, southeastern Oregon: U.S. Geological Survey Bulletin 1475, 35 p.
- Walker, G.W., and Repenning, C.A., 1965, Reconnaissance geologic map of the Adel quadrangle, Lake, Harney, and Malheur Counties, Oregon: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-446, scale 1:250,000.
- Walker, G.W., and Swanson, D.A., 1968a, Laminar flowage in a Pliocene soda rhyolite ash-flow tuff, Lake and Harney Counties, Oregon, in Geological Survey research 1968: U.S. Geological Survey Professional Paper 600-B, p. B37-B47.
- 1968b, Summary report on the geology and mineral resources of the Harney Lake and Malheur Lake areas of the National Wildlife Refuge, north-central Harney County, Oregon: U.S. Geological Survey Bulletin 1260-L, 17 p.
- Waring, G.A., 1908, Geology and water resources of a portion of south-central Oregon: U.S. Geological Survey Water-Supply Paper 220, 86 p.
- 1909, Geology and water resources of the Harney Basin region, Oregon: U.S. Geological Survey Water-Supply Paper 231, 93 p.
- 1965 (revised by Blankenship, R.R., and Bentall, R.), Thermal springs of the United States and other countries of the world--a summary: U.S. Geological Survey Professional Paper 492, 383 p.
- Washburne, C.W., 1911, Gas prospects in Harney Valley, Oregon: U.S. Geological Survey Bulletin 431, pt. 2, p. 56-57.

POWELL BUTTES

The Powell Buttes area is located in central Oregon near the rapidly growing industrial and recreation area of Bend, Redmond, and Prineville. The data compiled for the area are shown in Table 10. The compilation of aeromagnetic, gravity, and lineament data is at a scale of 1:250,000. Also included are a geologic map and geologic cross sections for one 15-minute and four 7½-minute quadrangles presented at a scale of 1:62,500 as well as overlays for potassium-argon ages and water-chemistry and geothermal-gradient data.

The aeromagnetic pattern across the area is essentially flat, whereas the gravity map developed by Pitts (1979) shows a large, ovoid, northeast-trending positive gravity anomaly of 15 to 20 mgal over the buttes. The explanation for this large positive anomaly is not obvious. The lineament study shows primarily northwest-southeast and northeast-southwest trends, and detailed mapping indicates additional trends.

Samples have been collected for potassium-argon dating and for water-chemistry analysis with the available water-chemistry data shown on Table 11. Additional samples are not yet analyzed. A list of the location of sites of temperature-depth information is given in Table 12.

A geothermal anomaly was initially discovered by routine scrounge water-well measurements which indicated anomalously high heat-flow values and geothermal gradients in an area on the northwest side of Powell Buttes. Additional logging of available wells in the area continues to indicate anomalous conditions. At the present time, an area with a linear dimension of at least 10 km and a demonstrated width of 2 km has gradients in excess of 100°C/km to depths in excess of 200 m. The geologic controls on this

TABLE 10

Contents of open-file release
on Powell Buttes low-temperature geothermal resource area

<u>Item</u>	<u>Scale</u>	<u>Comments</u>
Aeromagnetic Map	1:250,000	
Gravity Map	1:250,000	
Lineament Map	1:250,000	
Geologic Map	1:62,500	120°45'00" to 121°07'30" 44°00'00" to 44°22'30"
Geologic Cross-Sections	1:62,500	
Rock Chemistry, Age Data, Gradient Data, Water Chemistry	1:62,500	Overlays on geologic map
Well and Spring Chemistry	--	Table
Geothermal Gradient/ Heat Flow Data	--	Table
Brief Text	--	
Bibliography	--	

system are not obvious. There is very little permeability in the rocks, and most of the holes, even to depths in excess of 300 m, produce only enough water from discontinuous ground-water bodies for domestic use. The cause of the anomaly is apparently at depths in excess of 300 m and, based on the measured data, has a temperature in excess of 40°C (the highest measured bottom-hole temperature is 38°C).

The geology consists of a central intrusive and extrusive complex of presumed John Day age; i.e., 25-35 m.y., against which young flood basalts and fluvial sediments onlap. Age dating of samples from this area is currently in progress in order to verify the age of the complex. The rocks are generally silicic in composition and are relatively highly altered; mercury prospects are found along the western margin of the buttes, and there is some indication that the background uranium content of the rocks is above average.

Because of the proximity to a rapidly growing metropolitan area with a significant amount of industry, this area is very attractive for development of low-temperature utilization. A number of 150-m gradient holes are planned for 1980-81; however, it is clear that holes at least 400-600 m deep must be drilled in this area to verify the presence of a resource and the temperatures characteristic of that resource.

TABLE 12. Locations and geothermal gradients for the Powell Buttes low-temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files. Standard error shown below gradient value.

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
14S/14E- 16CC	BM	44-21.1	121- 6.3	SWIFT 4/18/80	874	25.0 60.1	4.5 1.2	C
15S/16E- 16DA	HL	44-16.1	120-48.7	PRSTUDCO 7/12/77	936	7.5 47.5	68.0	C
15S/14E- 15DD	HL	44-15.9	121- 1.7	CRABTREE 4/16/80	930			D
15S/15E- 29BB	HL	44-14.8	120-57.6	POWBUTNE 4/14/80	986	16.0 35.0	190.0	A
						35.0 172.0	77.1 2.5	A
15S/15E- 28AD	HL	44-14.6	120-55.7	KOOPS 8/11/80	998	15.0 40.0	119.2 18.3	
						40.0 149.0	50.9 1.4	
15S/15E- 30AC	HL	44-14.5	120-58.4	CRAWFORD 4/ 5/80	995	10.0 75.0	81.9 3.7	B
15S/15E- 30AD	HL	44-14.4	120-58.0	LOT24WW 9/20/79	1002	40.0 105.0	70.5 5.7	C
15S/15E- 31AC	HL	44-13.7	120-58.5	DEASON 4/ 6/80	1067	10.0 40.0	266.6 19.8	B
						40.0 244.3	68.7 4.6	B
15S/14E- 35BC	HL	44-13.7	121- 1.5	FLOCK 6/18/80	982	45.0 110.0	127.7 2.3	
						20.0 125.0	111.6 7.3	
15S/15E- 31DA2	HL	44-13.6	120-58.2	KRANTH 2 7/28/79	1100	20.0 120.0	75.5 2.1	A
						90.0 120.0	71.7 .2	A
15S/15E- 31DA1	HL	44-13.6	120-58.2	KRANTH 1 7/28/79	1100	195.0 225.0	69.2 .1	B
						10.0 225.0	73.3 1.6	B

TABLE 12. (continued)

TOWNSHIP/ RANGE- SECTION	GEOLOGICAL PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
15S/14E- 3AC	HL	44-13.2	120-59.6	FRANKLIN 9/22/78	1023	20.0 155.0	128.4 2.1	C
16S/14E- 2BC	HL	44-12.8	121- 1.6	HALLETT 8/12/79	1021	5.0 78.6	114.1 13.0	C
16S/14E- 4DD	HL	44-12.6	121- 2.8	SCHOOLHS 8/13/80	991	10.0 20.0	195.0 12.0	
16S/14E- 3CC	HL	44-12.5	121- 2.5	MILLER 4/ 7/80	1003	10.0 45.0 45.0 179.0	252.5 13.1 113.0 6.0	A A
16S/14E- 10AB	HL	44-12.4	121- 2.1	POWBUTNW 4/ 8/80	1021	10.0 45.0 45.0 170.0	198.7 9.6 91.5 4.4	A A
16S/14E- 10BA	HL	44-12.3	121- 2.3	JENSEN 8/ 8/80	1015	10.0 93.5	129.4 4.9	
16S/14E- 11CC	HL	44-11.8	121- 1.5	MATHERS 4/17/80	1086	20.0 156.0	58.1 1.6	A
16S/14E- 11DC	HL	44-11.7	121- .7	POWBUT 4/17/80	1146	20.0 50.0	33.7 1.5	B
16S/14E- 16DAA	HL	44-11.2	121- 2.8	MCDNL-WW 9/21/78	1024	25.0 160.0	148.4 4.1	B
16S/14E- 16DC	HL	44-11.0	121- 3.3	ALF-PBRD 8/14/80	1010	20.0 123.0	162.2 7.4	
16S/14E- 14CC	HL	44-10.9	121- 1.3	SANTOS 8/14/80	1103	5.0 20.0 20.0 75.2	107.2 5.5 58.0 1.1	
16S/14E- 20AC	HL	44-10.5	121- 4.3	MILLER 8/12/80	953	10.0 30.0	30.4 7.0	

TABLE 12. (continued)

TOWNSHIP/ RANGE- SECTION	GEOLOGICAL PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORRECTED GRAD. °C/km	QUALITY
16S/14E- 20DA	HL	44-10.4	121- 4.0	SLUDER R 8/12/80	972	10.0 149.0	12.5 13.7	
16S/14E- 28AD	HL	44- 9.6	121- 2.9	SHUMWAY 4/ 7/80	981	20.0 65.0 110.0 158.5	82.9 3.8 100.7 2.1	B B
16S/15E- 26CC	HL	44- 8.9	120-54.3	H MARTIN 8/19/80	1076	40.0 165.0 50.0 140.0	55.9 1.2 55.6 .7	
17S/14E- 23AC	HL	44- 5.1	121- 1.0	LEWIS 8/20/80	1021	80.0 170.0 135.0 170.0	74.1 4.8 68.6 2.0	
17S/15E- 20CA	HL	44- 4.7	120-57.6	BOWEN 4/16/80	1036	10.0 120.0	34.2 2.1	B
17S/16E- 32CA	HL	44- 3.1	120-50.4	GLOVER 8/21/80	1163	20.0 75.0 119.0	87.6 4.6 43.9 3.9	

POWELL BUTTES BIBLIOGRAPHY

- Atwater, T., 1970, Implications of plate tectonics for the Cenozoic tectonic evolution of western North America: Geological Society of America Bulletin, v. 81, no. 12, p. 3513-3536.
- Baldwin, E.M., 1976, Geology of Oregon (revised ed.): Dubuque, Iowa, Kendall/Hunt, 147 p.
- Berg, J.W., and Thiruvathukal, J.V., 1965, Gravity base station network, Oregon: Journal of Geophysical Research, v. 70, no. 14, p. 3325-3330.
- Calkins, F.C., 1902, A contribution to the petrography of the John Day Basin: Berkeley, Calif., University of California Publications, Bulletin of the Department of Geology, v. 3, no. 5, p. 109-172.
- Chaney, R.W., 1927, Geology and paleontology of the Crooked River Basin, with special reference to the Bridge Creek flora: Washington, D.C., Carnegie Institution of Washington Publication 346, p. 45-138.
- Couch, R.W., Gemperle, M., and Connard, G.G., 1978, Total field aeromagnetic anomaly map, Cascade Mountain Range, central Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-9, 2 sheets.
- Dalrymple, G.B., Cox, A., Doell, R.R., and Grommé, C.S., 1967, Pliocene geomagnetic polarity epochs: Earth and Planetary Science Letters, v. 2, no. 3, p. 163-173.
- Evernden, J.F., and James, G.T., 1964, Potassium-argon dates and the Tertiary floras of North America: American Journal of Science, v. 262, no. 8, p. 945-974.
- Evernden, J.F., Savage, D.E., Curtis, G.H., and James, G.H., 1964, Potassium-argon dates and the Cenozoic mammalian chronology of North America: American Journal of Science, v. 262, no. 2, p. 145-198.
- Fisher, R.V., 1967, Early Tertiary deformation in north-central Oregon: American Association of Petroleum Geologists Bulletin, v. 51, no. 1, p. 111-123.
- Hamilton, W., and Myers, W.B., 1966, Cenozoic tectonics of the western United States: Review of Geophysics, v. 4, no. 4, p. 509-549.
- Hodge, E.T., 1932, New evidence of the age of the John Day Formation: Geological Society of America Bulletin, v. 43, no. 3, p. 695-702.
- 1940, Geology of the Madras quadrangle: Corvallis, Oreg., Oregon State College, Oregon State Monographs, Studies in Geology, no. 1 (geologic map), scale 1:125,000.
- 1942, Geology of north-central Oregon: Corvallis, Oreg., Oregon State College, Oregon State Monographs, Studies in Geology, no. 3, 76 p.

- Laursen, J.M., and Hammond, P.E., 1978, Summary of radiometric ages of Oregon rocks, Supplement 1: July 1972 through December 1976: Isochron/West, no. 23, p. 3-28.
- Lipman, P.W., Prostka, H.J., and Christiansen, R.L., 1972, Cenozoic volcanism and plate-tectonic evolution of the western United States; I, Early and middle Cenozoic: Philosophical Transactions of the Royal Society of London, ser. A, v. 271, no. 1213, p. 217-248.
- Lowry, W.D., 1940, The geology of the Bear Creek area, Crook and Deschutes Counties, Oregon: Corvallis, Oreg., Oregon State College master's thesis, 29 p.
- McLeod, N.S., Walker, G.W., and McKee, E.H., 1975, Geothermal significance of eastward increase in age of upper Cenozoic rhyolitic domes in southeastern Oregon: U.S. Geological Survey Open-File Report 75-348, 22 p.; also 1976, in Second United Nations Symposium on the Development and Use of Geothermal Resources, San Francisco, Calif., 20-29 May, 1975, Proceedings: Lawrence Berkeley Laboratory, University of California (for ERDA, NSF, and USGS), v. 1, p. 465-474.
- Marlatte, C.R., 1931, The petrogenesis of the clastic materials of the Madras Formation: Eugene, Oreg., University of Oregon master's thesis, 78 p.
- Matthews, T.C., 1955, Oregon radioactive discoveries in 1954 and 1955: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 17, no. 12, p. 87-92.
- 1956, Radioactive occurrences in Oregon, 1956: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 18, no. 12, p. 105-107.
- Peterson, N.V., Groh, E.A., Taylor, E.M., and Stensland, D.E., 1976, Geology and mineral resources of Deschutes County, Oregon: Oregon Department of Geology and Mineral Industries Bulletin 89, 66 p.
- Peterson, N.V., 1958, Oregon's uranium picture: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 20, no. 12, p. 111-117.
- Pitts, G.S., 1979, Interpretation of gravity measurements made in the Cascade Mountains and the adjoining Basin and Range province in central Oregon: Corvallis, Oreg., Oregon State University master's thesis, 186 p.
- Pitts, G.S., and Couch, R.W., 1978, Complete Bouguer gravity anomaly map, Cascade Mountain Range, central Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-8, scale 1:125,000.
- Riccio, J.F., ed., 1979, Geothermal resource assessment of Mount Hood: Oregon Department of Geology and Mineral Industries Open-File Report 0-79-8, 273 p.
- 1980, Geothermal exploration in Oregon, 1979: Oregon Department of Geology and Mineral Industries, Oregon Geology, v. 42, no. 4, p. 59-69.
- Robinson, J.W., and Price, D., 1963, Ground water in the Prineville area, Crook County, Oregon: U.S. Geological Survey Water-Supply Paper 1619-P, p. 8-11.

- Robinson, P.T., 1969, High-titania alkali-olivine basalts of north-central Oregon, U.S.A.: *Contributions to Mineralogy and Petrology*, v. 22, no. 4, p. 349-360.
- Robinson, P.T., and Stensland, D.H., 1979, Geologic map of the Smith Rock area, Jefferson, Deschutes, and Crook Counties, Oregon: U.S. Geological Survey Miscellaneous Investigations Series Map I-1142, scale 1:48,000.
- Rogers, J.J.W., 1966, Coincidence of structural and topographic highs during post-Clarno time in north-central Oregon: *American Association of Petroleum Geologists Bulletin*, v. 50, no. 2, p. 390-396.
- Rogers, J.J.W., and Novitsky-Evans, J.M., 1977, The Clarno Formation of central Oregon, U.S.A. —volcanism on a thin continental margin: *Earth and Planetary Science Letters*, v. 34, no. 1, p. 55-66.
- Russell, I.C., 1905, Preliminary report on the geology and water resources of central Oregon: U.S. Geological Survey Bulletin 252, 138 p.
- Schafer, M., 1956, Uranium prospecting in Oregon, 1956: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 18, no. 12, p. 101-104.
- Stearns, H.T., 1931, Geology and water resources of the middle Deschutes River Basin, Oregon, in U.S. Geological Survey, Contributions to the hydrology of the United States: U.S. Geological Survey Water-Supply Paper 637, p. 125-212.
- Stroh, H.R., 1980, Geology of the Clarno Formation in the vicinity of Stephenson Mountain, Jefferson, Crook, and Wheeler Counties, Oregon: Corvallis, Oreg., Oregon State University master's thesis, 128 p.
- Swanson, D.A., 1969, Reconnaissance geologic map of the east half of the Bend quadrangle, Crook, Wheeler, Jefferson, Wasco, and Deschutes Counties, Oregon: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-568.
- Swanson, D.A., and Robinson, P.T., 1968, Base of the John Day Formation in and near the Horse Heaven mining district, north-central Oregon, in U.S. Geological Survey, Geological Survey research 1968: U.S. Geological Survey Professional Paper 600-D, p. D154-D161.
- Taylor, E.M., 1980, High Cascade ash-flow tuffs and pumice deposits in the vicinity of Bend, Oregon (abs.): *Geological Society of America Abstracts with programs*, v. 12, no. 3, p. 155.
- Thiruvathukal, J.V., 1968, Regional gravity of Oregon: Corvallis, Oreg., Oregon State University doctoral dissertation, 92 p.
- Walker, G.W., 1970, Cenozoic ash-flow tuffs of Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 32, no. 6, p. 97-115.
- 1977, Geologic map of Oregon east of the 121st meridian: U.S. Geological Survey Miscellaneous Investigations Series Map I-902, scale 1:500,000.

- Walker, G.W., 1979, Revisions to the Cenozoic stratigraphy of Harney Basin, southeastern Oregon: U.S. Geological Survey Bulletin 1475, 35 p.
- Walker, G.W., Dalrymple, G.B., and Lanphere, M.A., 1974, Index to potassium-argon ages of Cenozoic volcanic rocks of Oregon: U.S. Geological Survey Miscellaneous Field Studies Map MF-569, scale 1:1,000,000.
- Waters, A.C., 1954, John Day Formation west of its type locality (abs.): Geological Society of America Bulletin, v. 65, no. 12, pt. 2, p. 1320.
- 1968, Reconnaissance geologic map of the Madras quadrangle, Jefferson and Wasco Counties, Oregon: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-555, scale 1:125,000.
- Weidenheim, J.P., 1980, The petrography, structure, and stratigraphy of Powell Buttes, Crook County, central Oregon: Corvallis, Oreg., Oregon State University master's thesis, 95 p.
- Wells, F.G., and Peck, D.L., 1961, Geologic map of Oregon west of the 121st meridian: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-325, scale 1:500,000.
- Williams, H., 1957, A geologic map of the Bend quadrangle, Oregon and a reconnaissance geologic map of the central portion of the High Cascade Mountains: Oregon Department of Geology and Mineral Industries in cooperation with the U.S. Geological Survey (text on map), scales 1:125,000 and 1:250,000.

WESTERN SNAKE RIVER PLAIN

The part of the Western Snake River Plain to be included in the open-file report consists of four 15-minute quadrangle maps. Data to be included in the open-file report are listed in Table 13. The geologic map for this area (scale 1:62,500) has been compiled from published sources. Time constraints have not allowed field checking. There appear to be several stratigraphic inconsistencies in the maps that have not yet been resolved at this time. Gravity and magnetotelluric data have been compiled at a scale of 1:250,000, and a local aeromagnetic map for part of the area has been compiled at a scale of 1:62,500. A lineament map has been compiled at a scale of 1:250,000. Available water chemistry, age dates, and hole locations are presented on an overlay to the geologic maps. A table of water-chemistry data from the literature is presented in Table 14, and a list of holes logged for geothermal-gradient data is given in Table 15.

Geophysical, geological, and geochemical data indicate that high temperatures ($+200^{\circ}\text{C}$) exist at depth, and a deep DOE-supported drill hole has demonstrated a temperature of over 150°C at a depth of approximately 2,300 m. This, however, is a regional temperature, and higher temperatures can be expected to occur at shallow depths in holes centered on geothermal systems.

TABLE 13

Contents of open-file release
on Western Snake River Basin low-temperature geothermal resource area

<u>Item</u>	<u>Scale</u>	<u>Comments</u>
Geologic Map	1:62,500	116°52'30" to 117°30'00" 43°52'30" to 44°15'00"
Geologic Cross-Sections	1:62,500	
Rock Chemistry, Age Data, Gradient Data, Water Chemistry	1:62,500	Overlays on geologic map Table
Well and Spring Chemistry	--	Table
Geothermal Gradient/ Heat Flow Data	--	
Brief Text	--	
Aeromagnetic Map	1:62,500	
Gravity Map	1:250,000	
Audiomagnetotelluric Map	1:250,000	
Bibliography	--	

TABLE 15. Locations and geothermal gradients for the Western Snake River Basin low temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files. Standard error shown below gradient value.

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
15S/43E- 34CD	SB	44-12.9	117-26.5	MCBRIDE 6/24/80	866	20.0 85.0 10.0 145.0	81.4 2.5 57.7 10.1	
16S/43E- 10DB	SB	44-11.5	117-26.1	JQRM 10/ 2/72	758	30.0 115.0	71.2 1.5	A
16S/43E- 7D	SB	44-11.4	117-29.5	BAMS 5/ 6/75	850	15.0 65.0 65.0 115.0	48.8 7.3 18.0 5.1	B B
16S/43E- 15DA	SB	44-10.6	117-25.8	JQNR 10/ 5/72	758	25.0 105.0 105.0 230.0	38.6 7.0 70.5 3.0	A A
16S/43E- 13DD	SB	44-10.4	117-23.2	VALE 10/ 4/72	768	50.0 130.0 130.0 170.0	51.5 5.0 94.7 2.7	A A
16S/43E- 23DD	SB	44- 9.4	117-24.4	JQMR 10/ 1/72	749	40.0 110.0 110.0 170.0	61.8 2.2 99.5 13.0	A A
17S/45E- 8AA	SB	44- 6.9	117-10.1	UN-75-2 6/ 4/75	721	30.0 60.0	87.3	A
17S/45E- 3DD		44- 6.8	117-11.3	BLMSW 5/ 9/75	774	10.0 35.0 10.0 185.0		B B
17S/45E- 2DA	SB	44- 6.5	117-13.6	UN-75-3 5/13/75	814	50.0 125.0	82.0 1.1	A
17S/43E- 9CB	XX	44- 6.2	117-27.5	JQW 10/ 2/72	866	10.0 35.0	134.2 12.0	B

TABLE 15. (continued)

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
17S/44E- 11DC	SB	44- 6.1	117-17.4	JQPM 10/ 6/72	719	10.0 370.0	94.4 2.2	A
17S/46E- 13AA	XX	44- 5.8	117- 1.6	UN-75-5 10/22/75	732	50.0 150.0	76.5 .3	A
17S/46E- 16CA	SB	44- 5.4	117- 5.9	UN-75-4 6/ 4/75	762	25.0 140.0	115.4 7.0	A
17S/44E- 31BB	XX	44- 3.2	117-23.1	JQBLM 10/14/72	829	15.0 70.0	85.7 2.2	A
18S/47E- 4B	SB	44- 2.2	116-58.5	JOHANSON 6/27/80	658	15.0 59.0	71.6 2.1	
18S/47E- 4DC	SB	44- 1.5	116-58.2	ONTCTYPK 8/19/77	655	55.0 150.0	88.4 .2	A
18S/44E- 23AC	SB	43-59.8	117-17.3	HIATT 7/ 2/80	765	20.0 92.0	91.8 3.2	
18S/44E- 21BA	SB	43-59.6	117-20.3	VWGRB 10/11/72	760	25.0 85.0	66.8 1.1	A
18S/45E- 20CB	SB	43-59.3	117-14.5	VALECTY1 7/ 7/77	684	30.0 40.0	123.2 2.8	A
18S/44E- 21DB	SB	43-59.3	117-20.5	RANDLE 7/ 2/80	783	10.0 49.0	54.1 4.0	
18S/45E- 21CB	SB	43-59.2	117-13.3	TS-RDH 11/30/76	678	15.0 310.0	146.5 6.1	X
						15.0 65.0	200.4 6.7	X
						65.0 230.0	143.2 7.5	X
						230.0 310.0	116.0 7.7	X
18S/45E- 20CC	SB	43-59.1	117-14.6	GRIGGS 6/25/80	683	10.0 100.5	135.6 3.0	
18S/46E- 21CC	SB	43-59.1	117- 6.2	LEE 7/ 8/77	692	35.0 45.0	115.6 12.1	A

TABLE 15. (continued)

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
18S/45E- 30AB	SB	43-58.8	117-15.1	VALE CTY2 7/ 7/77	681	7.5 55.0	82.2 .7	A
18S/45E- 29BA2	SB	43-58.8	117-14.1	VALE CW2 7/30/80	682	20.0 30.0	240.8 .6	
18S/45E- 29BA1	SB	43-58.7	117-14.2	VALE CW1 7/29/80	683	10.0 17.5	100.4 2.0	
18S/45E- 32AB	SB	43-57.9	117-13.9	COLERICK 8/ 1/80	698	25.0 70.0 10.0 70.0	190.2 1.7 197.5 10.4	
19S/46E- 5BD	SB	43-56.8	117- 6.9	WINEBRGR 7/ 3/80	808	15.0 90.0 90.0 260.0 10.0 269.5	96.5 3.0 34.0 2.6 50.2 8.6	
19S/45E- 11BC	SB	43-56.0	117-11.0	BLMN-WW 6/10/76	816	10.0 85.0	259.3 2.3	A
19S/45E- 9DB	SB	43-55.8	117-12.8	N HARPER 7/ 7/77	860	20.0 170.0 170.0 205.0	105.9 .5 78.2 3.2	A A
19S/44E- 9DD	SB	43-55.5	117-19.5	JQP-1 6/18/73	701	35.0 160.0	71.5 .5	A
19S/45E- 11CC	SB	43-55.5	117-11.0	CH-1 8/23/72	835	30.0 65.0	185.7 1.6	A
19S/46E- 18DB	SB	43-55.0	117- 8.0	SNW 6/10/76	844	20.0 150.0	104.1 .7	A
19S/46E- 15DC	SB	43-54.8	117- 4.2	NC-WW 10/27/76	771	55.0 150.0 20.0 55.0	3.7 .7 77.1 29.4	C C
19S/46E- 14DC	SB	43-54.6	117-10.4	CB-16 9/ 7/72	910	20.0 145.0	175.2 1.1	A

TABLE 15. (continued)

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
19S/44E- 13CD	SB	43-54.6	117- 2.2	CO-WH 11/ 4/76	767	12.8 37.8	135.4 2.2	B
19S/44E- 19	SB	43-54.2	117-22.4	WP-1 0/ 0/30	777	31.0 395.0	87.3	A
19S/44E- 22DA	SB	43-54.1	117-18.3	SAP 3 7/ 2/80	713	10.0 79.0	80.8 1.3	
19S/44E- 22CA	SB	43-54.0	117-19.2	SAP 2 7/ 2/80	716	20.0 55.0 10.0 62.8	38.1 2.6 37.5 3.5	
19S/44E- 21DD	SB	43-53.8	117-19.7	SAP 1 7/ 2/80	713	5.0 40.0 10.0 138.0 5.0 143.0	100.9 4.0 73.7 1.4 80.5 4.8	
19S/46E- 30BB	SB	43-53.7	117-15.7	UN-75-1 6/ 4/75	879	22.0 155.0	92.6 .2	A
19S/45E- 25BB	SB	43-53.6	117-16.8	RDH-F 7/24/72	813	30.0 70.0	235.6 7.1	A
19S/45E- 22DB	SB	43-53.8	117-11.7	GULF 7/24/72	843	30.0 115.0	110.4 .3	A
19S/45E- 26BD	SB	43-53.4	117-10.7	GULF 7/25/72	822	30.0 175.0	119.3 .6	A
19S/45E- 28BD	SB	43-53.4	117-13.0	CB-14 6/14/73	872	10.0 90.0	70.8 1.5	A

BIBLIOGRAPHY OF THE WESTERN SNAKE RIVER PLAIN

- Baldwin, E.M., 1976, *Geology of Oregon* (revised ed.): Dubuque, Iowa, Kendall/Hunt, 147 p.
- Baldwin, H.L., and Hill, D.P., 1960, Gravity survey in part of the Snake River Plain, Idaho - a preliminary report: U.S. Geological Survey Open-File Report 60-11, 21 p.
- Beaulieu, J.D., 1972, Geologic formations of eastern Oregon (east of longitude 121° 30'): Oregon Department of Geology and Mineral Industries Bulletin 73, 80 p.
- Beeson, J., 1955, The geology of the southern half of the Huntington quadrangle: Eugene, Oreg., University of Oregon master's thesis, 79 p.
- Blackwell, D.D., Hull, D.A., Bowen, R.G., and Steele, J.L., 1978, Heat flow of Oregon: Oregon Department of Geology and Mineral Industries Special Paper 4, 42 p.
- Bodvarsson, G., Couch, R.W., MacFarlane, W.T., Tank, R.W., and Whitsett, R.M., 1974, Telluric current exploration for geothermal anomalies in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 36, no. 6, p. 93-107.
- Boler, F.M., 1979, Aeromagnetic measurements, magnetic source depths, and the Curie point isotherm in the Vale-Owyhee, Oregon, geothermal area: Corvallis, Oreg., Oregon State University master's thesis, 104 p.
- Bowen, R.G., 1972, Geothermal gradient studies in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 34, no. 4, p. 68-71.
- 1975, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-75-3, 133 p.
- Bowen, R.G., and Blackwell, D.D., 1973, Progress report on geothermal measurements in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 35, no. 1, p. 6-7.
- 1975, The Cow Hollow geothermal anomaly, Malheur County, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 37, no. 7, p. 109-121.
- Bowen, R.G., Blackwell, D.D., and Hull, D.A., 1975, Geothermal studies and exploration in Oregon (draft final report to U.S. Bureau of Mines): Oregon Department of Geology and Mineral Industries Open-File Report 0-75-7, 65 p.
- 1977, Geothermal exploration studies in Oregon: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 19, 50 p.

- Bowen, R.G., and Peterson, N.V., compilers, 1970, Thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 14 (map).
- Bowen, R.G., Peterson, N.V., and Riccio, J.F., compilers, 1978, Low- to intermediate-temperature thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-10.
- Brooks, H.C., McIntyre, J.R., and Walker, G.W., 1976, Geology of the Oregon part of the Baker 1° by 2° quadrangle: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-7, 25 p., scale 1:250,000.
- Brott, C.A., 1976, Heat flow and tectonics of the Snake River Plain, Idaho: Dallas, Texas, Southern Methodist University doctoral dissertation, 197 p.
- Brott, C.A., Blackwell, D.D., and Mitchell, J.C., 1976, Heat-flow study of the Snake River Plain, Idaho: Idaho Department of Water Resources, Water Information Bulletin 30, part 8, 195 p.
- Bryan, K.V., 1929, Geology of reservoir and dam sites with a report on the Owyhee irrigation project, Oregon: U.S. Geological Survey Water-Supply Paper 597-A, 72 p.
- Buwalda, J.P., 1921, Report on oil and gas possibilities of eastern Oregon: Oregon Bureau of Mines and Geology, The Mineral Resources of Oregon, v. 3, no. 2, p. 36-47.
- Calkins, J.A., 1954, The geology of the northeastern half of the Jamieson quadrangle, Oregon: Eugene, Oreg., University of Oregon master's thesis, 72 p.
- Carlat, J.E., 1954, The geology of the southwest portion of the Jamieson quadrangle, Malheur County, Oregon: Eugene, Oreg., University of Oregon master's thesis, 86 p.
- Corcoran, R.E., Doak, R.A., Porter, P.W., Pritchett, F.I., and Privrasky, N.C., 1962, Geology of the Mitchell Butte quadrangle, Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-2, scale 1:125,000.
- Couch, R.W., 1977, Analysis of geophysical data pertaining to the Vale Known Geothermal Resource Area: U.S. Geological Survey Extramural Geothermal Research Program, final report (unpublished).
- , 1978, Geophysical investigation of the Vale-Owyhee geothermal region, Malheur County, Oregon: U.S. Geological Survey Extramural Geothermal Research Program Technical Report 4, 133 p.
- Couch, R.W., and Baker, B., 1977, Geophysical investigations of the Vale-Owyhee geothermal region, Malheur County, Oregon: U.S. Geological Survey Extramural Geothermal Research Program Technical Report 2, 13 p.

- Couch, R.W., French, W., Gemperle, M., and Johnson, A., 1975, Geophysical measurements in the Vale, Oregon, geothermal resource area: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 37, no. 8, p. 125-129.
- Doak, R.A., 1953, Geology of the Double Mountain-Grassy Mountain area, Mitchell Butte quadrangle, Oregon: Eugene, Oreg., University of Oregon master's thesis, 94 p.
- Godwin, L.H., Haigler, L.B., Rioux, R.L., White, D.E., Muffler, L.J.P., and Wayland, R.G., 1971, Classification of public lands valuable for geothermal steam and associated geothermal resources: U.S. Geological Survey Circular 647, 18 p.
- Hull, D.A., 1975a, Geothermal studies in the Vale area, Malheur County, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 37, no. 6, p. 104-106.
- 1975b, Geothermal gradient data, Vale area, Malheur County, Oregon: Oregon Department of Geology and Mineral Industries Open-File Report 0-75-4, 18 p.
- Hull, D.A., Blackwell, D.D., and Black, G.L., 1978, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-78-4, 187 p.
- Hull, D.A., Blackwell, D.D., Bowen, R.G., Peterson, N.V., and Black, G.L., 1977, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-77-2, 134 p.
- Hull, D.A., Bowen, R.G., Blackwell, D.D., and Peterson, N.V., 1977, Preliminary heat-flow map and evaluation of Oregon's geothermal energy potential: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 39, no. 7, p. 109-123.
- Johnson, A.M., 1961, Stratigraphy and lithology of the Deer Butte Formation, Malheur County, Oregon: Eugene, Oreg., University of Oregon master's thesis, 144 p.
- Kirkham, V.R.D., 1935, Natural gas in Washington, Idaho, eastern Oregon and northern Utah, in Geology of natural gas: American Association of Petroleum Geologists Special Publication, p. 221-244.
- Kittleman, L.R., 1962, Geology of the Owyhee Reservoir area, Oregon: Eugene, Oreg., University of Oregon doctoral dissertation, 174 p.
- 1973, Guide to the geology of the Owyhee region of Oregon: Eugene, Oreg., University of Oregon Museum of Natural History Bulletin 21, 61 p.
- Kittleman, L.R., Green, A.R., Hagood, A.R., Johnson, A.M., McMurray, J.M., Russell, R.G., and Weeden, D.A., 1965, Cenozoic stratigraphy of the Owyhee region, southeastern Oregon: Eugene, Oreg., University of Oregon Museum of Natural History Bulletin 1, 45 p.

- Kittleman, L.R., Green, A.R., Haddock, G.H., Hagood, A.R., Johnson, A.M., McMurray, J.M., Russell, R.G., and Weeden, D.A., 1967, Geologic map of the Owyhee region, Malheur County, Oregon: Eugene, Oreg., University of Oregon Museum of Natural History Bulletin 8, scale 1:125,000.
- Ladwig, L.R., 1957, A petrographic study of some coarse clastics from the Mitchell Butte quadrangle, Oregon: Eugene, Oreg., University of Oregon master's thesis, 84 p.
- Larson, K., and Couch, R.W., 1975, Preliminary gravity maps of the Vale area, Malheur County, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 37, no. 8, p. 138-142.
- Lawrence, R.D., 1976, Strike-slip faulting terminates the Basin and Range province in Oregon: Geological Society of America Bulletin, v. 87, no. 6, p. 846-850.
- Lienau, P.J., principal investigator, 1978, Agribusiness geothermal energy utilization potential of Klamath and Western Snake River Basins, Oregon. Final technical report: Klamath Falls and Portland, Oreg., Geo-Heat Utilization Center, Oregon Institute of Technology; Oregon Department of Geology and Mineral Industries; and Oregon Department of Economic Development; U.S. Department of Energy Report IDO/1621-1, 181 p.
- Lillie, R.J., 1977, Subsurface geologic structure of the Vale, Oregon, Known Geothermal Resource Area from the interpretation of seismic reflection and potential field data: Corvallis, Oreg., Oregon State University master's thesis, 52 p.
- Lillie, R.J., and Couch, R.W., 1979, Geophysical evidence of fault termination of the Basin and Range province in the vicinity of the Vale, Oregon, geothermal area: Rocky Mountain Association of Geologists, Utah Geological Association, Basin and Range guidebook, p. 175-184.
- Lillie, R.J., French, W.S., and Couch, R.W., 1975, Preliminary results of a seismic reflection study in the Mitchell Butte quadrangle, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 37, no. 8, p. 129-137.
- Long, C.L., Hoover, D.B., and Bramsoe, E., 1975, Audio-magnetotelluric apparent resistivity maps for Weiser, Idaho-Vale, Oregon: U.S. Geological Survey Open-File Report 75-103, 7 pl.
- Malde, H.E., 1959, Fault zone along the northern boundary of the western Snake River Plain, Idaho: Science, v. 130, no. 3370, p. 272.
- Malde, H.E., and Powers, H.A., 1962, Upper Cenozoic stratigraphy of western Snake River Plain, Idaho: Geological Society of America Bulletin, v. 73, p. 1197-1219.
- Mariner, R.H., Presser, T.S., Rapp, J.B., and Willey, L.M., 1975, The minor and trace elements, gas, and isotope compositions of the principal hot springs of Nevada and Oregon: U.S. Geological Survey open-file report, 27 p.

- Mariner, R.H., Rapp, J.B., Willey, L.M., and Presser, T.S., 1974, The chemical composition and estimated minimum thermal reservoir temperatures of selected hot springs in Oregon: Menlo Park, Calif., U.S. Geological Survey open-file report, 27 p.
- Mariner, R.H., Swanson, J.R., Orris, G.J., Presser, T.S., and Evans, W.C., 1980, Chemical and isotopic data for water from thermal springs and wells of Oregon: U.S. Geological Survey Open-File Report 80-737, 50 p.
- Muffler, L.J.P., ed., 1979, Assessment of geothermal resources of the United States--1978: U.S. Geological Survey Circular 790, 163 p.
- Newton, V.C., Jr., and Corcoran, R.E., 1963, Petroleum geology of the western Snake River Basin, Oregon-Idaho: Oregon Department of Geology and Mineral Industries Oil and Gas Investigations 1, 67 p.
- Porter, P.W., 1953, Geology of the lower Sucker Creek area, Mitchell Butte quadrangle, Oregon: Eugene, Oreg., University of Oregon master's thesis, 81 p.
- Pritchett, F.I., 1953, The geology of the western portion of the Mitchell Butte quadrangle, Malheur County, Oregon: Eugene, Oreg., University of Oregon master's thesis, 81 p.
- Privrasky, N.C., 1953, Geology of the northeast portion of the Mitchell Butte quadrangle, Oregon: Eugene, Oreg., University of Oregon master's thesis, 87 p.
- Renick, B.C., 1930, The petrology and geology of a portion of Malheur County, Oregon: Journal of Geology, v. 38, no. 6, p. 481-520.
- Riccio, J.F., 1979, Preliminary geothermal resource map of Oregon, 1978: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-11, scale, 1:500,000.
- , 1980, Geothermal exploration in Oregon, 1979: Oregon Department of Geology and Mineral Industries, Oregon Geology, v. 42, no. 4, p. 59-69.
- Riccio, J.F., and Newton, V.C., Jr., 1979, Geothermal exploration in Oregon in 1978: Oregon Department of Geology and Mineral Industries, Oregon Geology, v. 41, no. 3, p. 39-46.
- Russell, I.C., 1903, Notes on the geology of southwestern Idaho and southeastern Oregon: U.S. Geological Survey Bulletin 217, p. 48-54.
- Spiller, J., 1958, The geology of part of the Olds Ferry quadrangle, Oregon: Eugene, Oreg., University of Oregon master's thesis, 84 p.
- Swanburg, C.A., and Blackwell, D.D., 1973, Areal distribution and geophysical significance of heat generation in the Idaho batholith and adjacent intrusions in eastern Oregon and western Montana: Geological Society of America Bulletin, v. 84, no. 4, p. 1261-1282.

- Thiruvathukal, J., 1968, Regional gravity of Oregon: Corvallis, Oreg., Oregon State University doctoral dissertation, 92 p.
- U.S. Bureau of Land Management, 1974, Technical examination report and environmental analysis record for the Vale Known Geothermal Resource Area: U.S. Bureau of Land Management Vale District Office (open-file report), 70 p.
- _____, 1976, Environmental analysis record for the Cow Creek geothermal interest area for non-competitive geothermal leases: U.S. Bureau of Land Management Vale District Office (open-file report), 162 p.
- U.S. Geological Survey and Oregon Department of Geology and Mineral Industries, 1979, Chemical analyses of thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Open-File Report O-79-3, 170 p.
- Van Orstrand, C.E., 1938, Temperatures in the lava beds of east-central and south-central Oregon: American Journal of Science, 5th series, v. 35, no. 205, p. 22-46.
- Walker, G.W., 1977, Geologic map of Oregon east of 121st meridian: U.S. Geological Survey Miscellaneous Investigations Series, Map I-902 (prepared in cooperation with the Oregon Department of Geology and Mineral Industries), scale 1:500,000, 2 sheets.
- Walker, G.W., and King, P.B., 1969, Geologic map of Oregon: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-595 (compiled in cooperation with the Oregon Department of Geology and Mineral Industries), scale 1:2,000,000.
- Washburne, C.W., 1911, Gas and oil prospects near Vale, Oregon, and Payette, Idaho: U.S. Geological Survey Bulletin 431, pt. 2, p. 26-55.
- Weeden, D.A., 1963, Geology of the Harper area, Malheur County, Oregon: Eugene, Oreg., University of Oregon master's thesis, 94 p.

LAKEVIEW

The Lakeview area of south-central Oregon is one of the major foci of this year's study (Table 16). Aeromagnetic and lineament maps have been compiled at a scale of 1:250,000. The aeromagnetic map indicates low values over the deep sedimentary fill in the basin and higher values over the volcanic rocks of the Warner Range. The lineament map is dominated by northwest and northeast trends, as outlined by the variations in the orientation of the range-front fault. The geologic map was compiled on three 7½-minute quadrangle maps reduced to a scale of 1:62,500. The compilation of the geology was from a reconnaissance map by Walker (1965) at a scale of 1:250,000. The only field checking has been along the range front, where detailed mapping has been carried out in order to locate areas of alteration. These areas are presented on the map. One area of interest which has not been studied is located approximately 5 mi north of Lakeview, where a large deposit of sinter and cinnabar was located.

As the presence of warm water near Lakeview has been known for some time, the object of this study was to evaluate the size of the geothermal system and to determine approximate locations for production of thermal water for use in commercial and residential applications in the city of Lakeview. The geologic setting is Basin-Range, with a major fault bounding the Warner Range to the east and the Goose Lake Valley to the west. The age of most of the rocks is Miocene. Several age dates have been obtained in order to document the age of the volcanism in the area. The youngest rocks so far dated are approximately 9.5 m.y. old.

Extensive water-chemistry studies have been completed, and results are shown in Table 17, with detailed interpretation of these data to be included

TABLE 16

Contents of open-file release
on Lakeview low-temperature geothermal resource area

<u>Item</u>	<u>Scale</u>	<u>Comments</u>
Aeromagnetic Map	1:250,000	
Lineament Map	1:250,000	
Geologic Map	1:62,500	120°15'00" to 120°22'30" 42°00'00" to 42°22'30"
Geologic Cross-sections	1:62,500	
Rock Chemistry, Age Data, Gradient Data, Water Chemistry	1:62,500	Overlays on geologic map
Well and Spring Chemistry	--	Table
Geothermal Gradient/ Heat Flow Data	--	Table
Brief Text	--	
Gravity Map	1:62,500	
Bibliography	--	

in the open-file report. Silica temperatures do not indicate the presence of temperatures in excess of 150°C in the system, although sodium-calcium-potassium results suggest somewhat higher temperatures. Completely satisfactory water samples of the actual hot-water system have not yet been obtained.

A number of accessible water wells were located and logged, and a total of seven drill holes was drilled by DOGAMI (see Table 18). At a depth of 30 m, one of these holes intersected water with a temperature of 105°C and a flow of approximately 400 l/m. Two other holes showed gradients in excess of $300^{\circ}\text{C}/\text{km}$. As a result of this study, at least one successful production well has been drilled during 1980 by Northwest Geothermal Corporation, who plans to develop a system for commercial utilization in Lakeview. This project appears to be well on its way with the drilling of the production wells based on the exploration data obtained by this project.

TABLE 18. Locations and geothermal gradients for the Lakeview low temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files. Standard error shown below gradient value.

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
38S/20E- 21DAC	BR	42-15.4	120-21.5	G PLATO 7/31/79	1499	22.5 40.0	37.9 2.0	C
38S/20E- 22CBC	BR	42-15.2	120-21.0	CL SMITH 7/31/79	1536	17.5 30.0 17.5 56.5	86.6 3.3 81.6 6.0	C C
38S/20E- 33ABB1	BR	42-14.2	120-21.8	D LINDSAY 7/30/79	1499	35.0 110.0 170.0 247.0	551.5 .1 76.7	B B
38S/20E- 33ABB2	BR	42-14.1	120-21.8	STKSERRY 7/30/79	1492	15.0 56.5	379.4 26.1	B
38S/20E- 33DBC	BR	42-13.6	120-21.9	STRBY-WW 7/31/79	1470	17.5 32.5 32.5 79.0	422.3 2.7 20.0 2.5	B B
38S/20E- 33DCD	BR	42-13.4	120-21.6	LEACH 2 8/23/79	1470	5.0 15.0 20.0 120.0	65.7 58.2	B C
38S/20E- 33DDC	BR	42-13.4	120-21.5	LEACH 1 8/23/79	1487	20.0 30.0 65.0 100.0	619.0 .8 105.2	B C
38S/20E- 33CDD	BR	42-13.3	120-22.0	EMCDONLD 8/24/79	1455			
39S/20E- 4AAB	BR	42-13.3	120-21.6	INGLDEW 11/ 9/79	1478	20.0 30.0 20.0 31.0	348.8 .4 579.6 4.7	C C
39S/20E- 3ABA	BR	42-13.3	120-20.5	HMSLCAN3 1/23/80	1567	42.5 82.5 15.0 40.0	266.4 5.9 410.7 26.8	B B

TABLE 18. (continued)

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
39S/20E- 4AAA	BR	42-13.3	120-21.5	MUNSELL 11/9/79	1484			
39S/20E- 3BDB	BR	42-13.1	120-21.0	HMSLCAN1 1/23/80	1507			
39S/20E- 3BCB	BR	42-12.9	120-21.2	HMSLCAN2 1/23/80	1457	17.5 67.5	241.5 16.8	A
						17.5 90.0	280.1 16.6	B
39S/20E- 4DAC	BR	42-12.8	120-21.5	SNIDR-WW 7/31/79	1458	70.0 125.0	192.1 3.5	A
						15.0 145.0	166.2 8.6	B
39S/20E- 4DCA	BR	42-12.7	120-21.7	PR PN CO 1/22/80	1453	12.5 37.5	132.9 1.5	B
						12.5 125.0	138.1 13.0	C
39S/20E- 9DAA	BR	42-12.0	120-21.3	FRMT-WW1 8/1/79	1444			D
39S/20E- 15BAA	BR	42-11.5	120-20.7	LKUWTLT 1/23/80	1453	42.5 90.0	106.3 4.7	B
39S/20E- 14BBB	BR	42-11.5	120-20.1	BULLCAN1 1/23/80	1503	15.0 48.0	111.0 3.4	A
39S/20E- 15AAC	BR	42-11.4	120-20.5	BULLCAN2 1/23/80	1486	12.5 87.5	125.4 1.1	A
39S/20E- 15ABD	BR	42-11.4	120-20.3	LKUWSIMP 11/15/79	1468	75.0 200.0	111.5 6.8	B
						385.0 548.5	93.5 4.3	B
39S/20E- 15CCB	BR	42-10.8	120-21.3	MTCHTT 1 7/30/79	1443	60.0 140.0	108.2 4.1	A
						5.0 167.5	93.5 7.0	B

TABLE 18. (continued)

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
39S/20E- 22ABA	BR	42-10.7	120-20.5	MTCHTT 2 7/30/79	1475	20.0 66.5	111.5 14.9	C
39S/20E- 22ACB	BR	42-10.4	120-20.6	JACKSON 8/24/79	1450	20.0 65.0	99.9 4.3	B
39S/21E- 29AD	BR	42- 9.6	120-15.4	RPK-1 7/22/73	2865	10.0 35.0		X
39S/20E- 27DBB	BR	42- 9.4	120-20.6	BARRY 1/23/80	1566	32.5 70.0	430.8 .1	C
41S/20E- 1CAD	BR	42- 2.3	120-18.5	ROCKFRD1 6/ 9/80	1451	25.0 65.0 65.0 110.0 110.0 310.0 310.0 415.0 110.0 415.0	405.1 .1 125.0 .1 39.2 .9 54.3 .1 44.4 2.2	
41S/20E- 1CCD	BR	42- 2.1	120-18.3	ROCKFRD2 6/ 9/80	1440	10.0 120.0	53.2 .1	
41S/20E- 13AAA	BR	42- 1.1	120-17.9	SWINGLE 8/23/79	1469	5.0 28.0	83.9 14.9	C
41S/21E- 18CBC	BR	42- .6	120-17.8	GILMORE 8/23/79	1467	10.0 73.0	83.2 8.4	B

BIBLIOGRAPHY OF LAKEVIEW

- Allison, I.S., 1949, Fault pattern of south-central Oregon (abs.): Geological Society of America Bulletin, v. 60, no. 12, pt. 2, p. 1935.
- Berg, J.W., Jr., and Thiruvathukal, J.V., 1967, Complete Bouguer gravity anomaly map of Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-4b, scale 1:500,000.
- Blackwell, D.D., Hull, D.A., Bowen, R.G., and Steele, J.L., 1978, Heat flow of Oregon: Oregon Department of Geology and Mineral Industries Special Paper 4, 42 p.
- Bowen, R.G., and Peterson, N.V., compilers, 1970, Thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 14 (map), scale approx. 1:1,000,000.
- Bowen, R.G., Peterson, N.V., and Riccio, J.F., compilers, 1978, Low- to intermediate-temperature thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-10, scale approx. 1:1,000,000.
- California Division of Mines, 1959, Geology of northeastern California: California Division of Mines, Mineral Information Service, v. 12, no. 6, p. 1-7.
- Donath, F.A., 1958, Basin-Range structure of south-central Oregon: Stanford University doctoral dissertation, 144 p.
- 1962, Analysis of Basin-Range structure, south-central Oregon: Geological Society of America Bulletin, v. 73, no. 1, p. 1-15.
- Donath, F.A., and Kuo, J.T., 1962, Seismic-refraction study of block faulting, south-central Oregon: Geological Society of America Bulletin, v. 73, no. 4, p. 429-434.
- Ford, R.S., and others, 1963, Northeastern counties ground-water investigation: California Department of Water Resources Bulletin 98, v. 1, text, 246 p., v. 2, plates.
- Fuller, R.E., and Waters, A.C., 1929, The nature and origin of the horst and graben structure of southern Oregon: Journal of Geology, v. 37, no. 3, p. 204-238.
- Gay, T.E., Jr., and Aune, Q.A., 1958, Geologic map of California, Alturas sheet: California Division of Mines, scale 1:250,000.
- LaMotte, R.S., 1936, The upper Cedarville flora of northwestern Nevada and adjacent California, in Middle Cenozoic floras of western North America: Washington, D.C., Carnegie Institution of Washington Publication 455, p. 57-142, 14 pls.

- Larson, E.E., 1965, The structure, stratigraphy, and paleomagnetism of the Plush area, southeastern Lake County, Oregon: Boulder, Colo., University of Colorado doctoral dissertation, 166 p.
- Lawrence, R.D., 1976, Strike-slip faulting terminates the Basin and Range province in Oregon: Geological Society of America Bulletin, v. 87, no. 6, p. 846-850.
- Pease, R.W., 1969, Normal faulting and lateral shear in northeastern California: Geological Society of America Bulletin, v. 80, no. 4, p. 715-719.
- Peterson, N.V., 1959, Preliminary geology of the Lakeview uranium area, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 21, no. 2, p. 11-16
- Peterson, N.V., and McIntyre, J.R., 1970, The reconnaissance geology and mineral resources of eastern Klamath County and western Lake County, Oregon: Oregon Department of Geology and Mineral Industries Bulletin 66, 70 p.
- Riccio, J.F., compiler, 1979, Preliminary geothermal resource map of Oregon, 1978: Oregon Department of Geology and Mineral Industries Geological Map Series GMS-11, scale 1:500,000.
- Russell, I.C., 1884, A geological reconnaissance in southern Oregon: U.S. Geological Survey 4th Annual Report, 1882-83, p. 431-464.
- 1905, Preliminary report on the geology and water resources of central Oregon: U.S. Geological Survey Bulletin 252, 138 p.
- Russell, R.J., 1928, Basin Range structure and stratigraphy of the Warner Range, northeastern California: Berkeley, Calif., University of California Publications, Bulletin of the Department of Geology, v. 17, no. 11, p. 387-496.
- Schaffer, M., 1956, Digmore Claims (Hg), Lake County: Oregon Department of Geology and Mineral Industries mine-file report, 2 p. (Peterson, 1971, addendum report).
- Trauger, F.D., 1950, Basic ground-water data in Lake County, Oregon: U.S. Geological Survey in cooperation with Oregon State Engineer, unpublished report, 287 p.
- U.S. Geological Survey and Oregon Department of Geology and Mineral Industries, 1979, Chemical analyses of thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Open-File Report O-79-3, 170 p.
- Walker, G.W., 1963, Reconnaissance geologic map of the eastern half of the Klamath Falls (AMS) quadrangle, Lake and Klamath Counties, Oregon: U.S. Geological Survey Mineral Investigations Field Studies Map MF-260, scale 1:250,000.

Waring, G.A., 1908, Geology and water resources of a portion of south-central Oregon: U.S. Geological Survey Water-Supply Paper 220, 86 p.

Weissenborn, A.E., ed., 1969, Mineral and water resources of Oregon: Oregon Department of Geology and Mineral Industries Bulletin 64, 462 p.

ALVORD DESERT

The open-file report for the Alvord Desert will present primarily the results of a literature study, although a total of ten 7½-minute maps, reduced to a scale of 1:62,500, have been compiled and field checked. The data available in the area are shown in Tables 19 through 21. The emphasis has been somewhat less than in the other areas because of the general lack of potential utilization of low-temperature fluids in this rather remote and sparsely populated area of southeastern Oregon. There is, however, significant interest in the high-temperature resources of the area, as indicated by the sale of KGRA lands to Anadarko Production Company, Getty Oil, and Al Aquitaine.

TABLE 19

Contents of open-file release
on Alvord Desert low-temperature geothermal resource area

<u>Item</u>	<u>Scale</u>	<u>Comments</u>
Aeromagnetic Map	1:250,000	
Audiomagnetotelluric Data	1:250,000	
Geologic Map	1:62,500	118°15'00" to 118°45'00" 42°15'00" to 42°45'00"
Geologic Cross-Sections	1:62,500	
Rock Chemistry, Age Data, Gradient Data, Water Chemistry	1:62,500	Overlays on geologic map
Well and Spring Chemistry	--	Table
Geothermal Gradient/ Heat Flow Data	--	Table
Brief Text	--	
Bibliography	--	

TABLE 21. Locations and geothermal gradients for the Alvord low temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files except holes MH-1, MH-2, AD-1 and AD-2 which have been published by Sass et al. (1976). Standard error shown below gradient value.

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
33S/35E- 15	BR	42-40.6	118-21.6	MH-2	1235	10.0 30.0	294.9 .8	A
						30.0 35.0	255.0 2.0	A
						10.0 35.0	289.2 .8	A
33S/34E- 24AB	BR	42-40.0	118-27.2	MCW 7/20/73	1290	25.0 240.0		X
33S/35E- 14	BR	42-39.7	118-21.5	MH-1	1225	40.0 51.0	146.2 .6	A
35S/35E- 5	BR	42-32.2	118-26.6	AD-2	1220			
35S/34E- 3	BR	42-32.2	118-29.2	AD-1	1220	54.9 61.0	73.9	A
						88.4 95.7	78.6 .3	A
						55.0 96.0	75.8 .3	A
								A
37S/36E- 28AB	BR	42-18.2	118-16.7	G-11 7/30/73	1366	10.0 25.0	130.6 13.7	A
38S/37E- 24BA	BR	42-15.8	118-19.1	SP-10 7/28/73	1430	10.0 100.0	83.9 1.2	A
38S/37E- 23CC	BR	42-15.3	118-20.8	DH-19 7/28/73	1430	10.0 50.0	88.5 3.9	A

BIBLIOGRAPHY OF THE ALVORD DESERT

- Avent, J.C., 1970, Correlation of the Steens-Columbia River Basalts: Some tectonic and petrogenetic implications, in Columbia River Basalt Symposium, 2nd, Cheney, Wash., 1969, Proceedings: Cheney, Eastern Washington State College Press, p. 133-157.
- Baldwin, E.M., 1976, Geology of Oregon (revised ed.): Dubuque, Iowa, Kendall/Hunt, 147 p.
- Blackwell, D.D., Hull, D.A., Bowen, R.G., and Steele, J.L., 1978, Heat flow of Oregon: Oregon Department of Geology and Mineral Industries Special Paper 4, 42 p.
- Bowen, R.G., and Peterson, N.V., compilers, 1970, Thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Miscellaneous Paper 14 (map), scale approx. 1:1,000,000.
- Bowen, R.G., Peterson, N.V., and Riccio, J.F., compilers, 1978, Low- to intermediate-temperature thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Geologic Map Series GMS-10, scale approx. 1:1,000,000.
- Cleary, J.G., 1976a, Geothermal investigation of the Alvord Valley, southeast Oregon: Missoula, Mont., University of Montana master's thesis, 71 p.
- 1976b, Alvord Valley, Oregon geothermal investigation (abs.): American Association of Petroleum Geologists Bulletin, v. 60, no. 8, p. 1394.
- Donath, F.A., 1962, Analysis of Basin-Range structure, south-central Oregon: Geological Society of America Bulletin, v. 73, no. 1, p. 1-15.
- Evernden, J.F., and James, G.T., 1964, Potassium-argon dates and the Tertiary floras of North America: American Journal of Science, v. 262, no. 8, p. 945-974.
- Fryberger, J.S., 1959, The geology of Steens Mountain, Oregon: Eugene, Oreg., University of Oregon master's thesis, 65 p.
- Fuller, R.E., 1930, The petrology and structural relationship of the Steens Mountain volcanic series of southeastern Oregon: Seattle, Wash., University of Washington doctoral dissertation, 282 p.
- 1931, The geomorphology and volcanic sequence of Steens Mountain in southeastern Oregon: Seattle, Wash., University of Washington Publications in Geology, v. 3, no. 1, p. 1-130.
- Fuller, R.E., and Waters, A.C., 1929, The nature and origin of the horst and graben structure of southern Oregon: Journal of Geology, v. 37, no. 3, p. 204-238.

- Griscom, A., and Conradi, A., Jr., 1975, Principal facts and preliminary interpretation for gravity profiles and continuous truck-mounted magnetometer profiles in the Alvord Valley, Oregon: U.S. Geological Survey Open-File Report 75-293, 20 p., 18 pls.
- Groh, E.A., 1966, Geothermal energy potential in Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 28, no. 7, p. 125-135.
- Harrold, J.L., 1973, Geology of the north-central Pueblo Mountains, Harney County, Oregon: Corvallis, Ore., Oregon State University master's thesis, 135 p.
- Hook, R., 1980, The volcanic stratigraphy of the Mickey Hot Springs area, Harney County, Oregon: Corvallis, Ore., Oregon State University master's thesis, in progress.
- Hull, D.A., Blackwell, D.D., Bowen, R.G., Peterson, N.V., and Black, G.L., 1977, Geothermal gradient data: Oregon Department of Geology and Mineral Industries Open-File Report 0-77-2, 134 p.
- Johnson, G.D., 1960, Geology of the northwest quarter Alvord Lake Three quadrangle, Oregon: Corvallis, Ore., Oregon State College master's thesis, 75 p.
- Libbey, F.W., 1960, Boron in Alvord Valley, Harney County, Oregon: Oregon Department of Geology and Mineral Industries, Ore Bin, v. 22, no. 10, p. 97-105.
- Long, C.L., and Gregory, D.I., 1975, Audio-magnetotelluric apparent resistivity maps for part of Harney County, Oregon: U.S. Geological Survey Open-File Report 75-297, 5 pls., scale 1:62,500.
- Muffler, L.J.P., ed., 1979, Assessment of geothermal resources of the United States—1978: U.S. Geological Survey Circular 790, 163 p.
- Ross, C.P., 1942, Quicksilver deposits in the Steens and Pueblo Mountains, southern Oregon: U.S. Geological Survey Bulletin 931-J, p. 227-258.
- Ross, C.S., and Smith, R.L., 1961, Ash-flow tuffs: Their origin, geologic relations, and identification: U.S. Geological Survey Professional Paper 366, 81 p.
- Russell, I.C., 1884, A geological reconnaissance in southern Oregon: U.S. Geological Survey 4th Annual Report, 1882-83, p. 431-464.
- 1903a, Notes on the geology of southwestern Idaho and southeastern Oregon: U.S. Geological Survey Bulletin 217, p. 36-69.
- 1903b, Preliminary report on artesian basins in southwestern Idaho and southeastern Oregon: U.S. Geological Survey Water-Supply Paper 78, 51 p.
- Sass, J.H., Galanis, S.D., Jr., Munroe, R.J., and Urban, T.C., 1976, Heat-flow data from southeastern Oregon: U.S. Geological Survey Open-File Report 76-217, 52 p.

- Smith, W.D., 1927, Contribution to the geology of southeastern Oregon (Steens and Pueblo Mountains): *Journal of Geology*, v. 35, no. 5, p. 421-440.
- Tower, D.B., 1972, Geology of the central Pueblo Mountains, Harney County, Oregon: Corvallis, Oreg., Oregon State University master's thesis, 96 p.
- U.S. Geological Survey and Oregon Department of Geology and Mineral Industries, 1979, Chemical analyses of thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries Open-File Report 0-79-3, 170 p.
- Walker, G.W., and Peterson, N.V., 1969, Geology of the Basin and Range province, in Weissenborn, A.E., ed., Mineral and water resources of Oregon: Oregon Department of Geology and Mineral Industries Bulletin 64, p. 83-88.
- Walker, G.W., and Repenning, C.A., 1965, Reconnaissance geologic map of the Adel quadrangle, Lake, Harney, and Malheur Counties, Oregon: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-446, scale 1:250,000.
- Waring, G.A., 1965 (revised by R.R. Blankenship and R. Bentall), Thermal springs of the United States and other countries of the world--a summary: U.S. Geological Survey Professional Paper 492, 383 p.
- Wilkerson, W.L., 1958, The geology of a portion of the southern Steens Mountains, Oregon: Eugene, Oreg., University of Oregon master's thesis, 89 p.
- Williams, H., and Compton, R.R., 1953, Quicksilver deposits of Steens Mountain and Pueblo Mountains, southeast Oregon: U.S. Geological Survey Bulletin 995-B, p. 19-77.

LA GRANDE

The information available for the La Grande area is shown in Table 22. There are several thermal wells and springs in the La Grande area; however, they are somewhat distant from the main population center. Magma Power Company drilled a 900-m deep well to intersect a fault near Hot Lake in 1972. However, maximum bottom-hole temperature was reported to be only 80°C. A total of four 7½-minute quadrangle maps were mapped by an independent subcontractor and have been published previously as DOGAMI Special Paper 6. Available water-chemistry data for the area are shown in Table 23.

Three holes were drilled in the immediate vicinity of La Grande by DOGAMI as part of this project in order to evaluate the possibility of warm-water flow along the frontal faults close enough to the city to be readily used for low-temperature applications. Major drilling problems were encountered because of the rubbly nature of the rocks at the surface on the downthrown block, and maximum depth reached in the holes was only 100 m. A temperature gradient of 90°C/km was observed in one of the holes, and the temperatures were warm enough to justify installation of a ground-water-return heat-pump system for the adjacent county hospital. Further evaluation of the possible high gradient observed along the fault would require additional deeper drilling in a very difficult geologic setting and could prove to be quite expensive.

TABLE 22

Contents of open-file release
on La Grande low-temperature geothermal resource area

<u>Item</u>	<u>Scale</u>	<u>Comments</u>
Geologic Map	1:62,500	117°45'00" to 118°15'00" 45°07'30" to 45°22'30"
Well and Spring Chemistry	--	Table
Geothermal Gradient/ Heat Flow Data	--	Table
Brief Text	--	
Bibliography	--	

TABLE 24. Locations and geothermal gradients for the La Grande low temperature geothermal area. Data from published and unpublished information in DOGAMI-SMU files. Standard error shown below gradient values.

TOWNSHIP/ RANGE- SECTION	GEOL. PROV.	N LAT.	W LONG.	HOLE NO. DATE MEASURED	COLLAR ELEV. (meters)	DEPTH INTERVAL (meters)	UNCORR. GRAD. °C/km	QUALITY
25/37E- 25DB	BM	45-21.8	118- 7.3	THOMAS 8/22/77	1143	20.0 150.0 90.0 150.0	32.5 .6 36.4 .6	B B
3S/38E- 4BD	BM	45-20.0	118- 4.1	HIGHDEPT 8/22/77	837	35.0 75.0		C
3S/38E- 3DC	BM	45-19.7	118- 2.7	ISLCTYCM 8/23/77	829	10.0 90.0 60.0 90.0	17.1 1.0 31.4 1.6	C C
3S/39E- 2CD	BM	45-19.7	117-54.2	HAMMAN 8/22/77	814	35.0 85.0	23.6 .6	B
3S/38E- 7ADA	BM	45-19.3	118- 5.9	MID SCH 2/ 6/80	859			D
3S/38E- 7ACD	BM	45-19.1	118- 6.2	CENT SCH 2/ 5/80	875	20.0 75.0	41.9 1.3	B
3S/38E- 7ACC	BM	45-19.1	118- 6.3	LGR HOSP 12/14/79	896	20.0 45.0	48.2 1.5	D
3S/39E- 8DA	BM	45-18.9	117-57.2	WEISHAR 10/26/79	822	15.0 75.0	19.9 .5	C
3S/40E- 14CB 2	BM	45-18.1	117-47.2	COVE 2 8/24/77	978	50.0 105.0 20.0 105.0	71.8 1.8 53.0 2.6	B B
3S/40E- 14CB 1	BM	45-18.0	117-47.2	COVE 1 8/24/77	978	23.0 45.0	25.0	C
25/39E- 28AC	BM	45-16.5	117-56.5	B JONES 8/24/77	821	10.0 45.0 27.5 45.0	70.9 2.6 55.9 1.1	C B
4S/40E- 18BA	BM	45-13.5	117-51.7	UNIONCTY 8/23/77	845	.0 310.0	38.0	B
4S/40E- 18CD	BM	45-12.8	117-51.7	UNIONCTY 8/24/77	848	12.5 75.0	65.4 .8	B

BIBLIOGRAPHY OF LA GRANDE *

- Baxter, K. W., Hull, D. A. and Ward, R. L., 1978, Geology (Chapter 2): *in* Northeast Oregon geothermal project, Huggins, R. M., ed., Eastern Oregon Community Development Council, La Grande, Oregon, p. 2-1 to 2-38.
- Blackwell, D. D., Hull, D. A., Bowen, R. G. and Steele, J. L., 1978, Heat flow of Oregon: Oregon Department of Geology and Mineral Industries, Special Paper 4, 42 p.
- Bowen, R. G., Peterson, N. V. and Riccio, J. F., 1978, Low- to intermediate-temperature thermal springs and wells in Oregon: Oregon Department of Geology and Mineral Industries, Geological Map Series 10 (1:1,000,000).
- Buwalda, J. P., 1921, Oil and gas possibilities in eastern Oregon, Oregon Bureau of Mines and Geology, Mineral Resources of Oregon, v. 3, no. 2., p. 25-27.
- Fenneman, N. M., 1931, Physiography of western United States: McGraw-Hill Book Co., Inc., New York, 534 p.
- Gardner, M. C., Knox, R. D. and Koenig, J. B., 1974, Geology of the La Grande-Baker area Oregon: GeothermEx for Amax Exploration, Inc., Denver, Colorado, 49 p.
- Geoscience Research Consultants, 1978, Geology of the southwestern Pasco Basin: RHO-BWI-C-25, Rockwell Hanford Operations, Richland, Washington, 217 p.
- , 1979a, Preliminary report on the geology of the eastern Pasco Basin: SA-915 for Rockwell Hanford Operations, Richland, Washington, 101 p.
- , 1979b, Preliminary report on the geology of the western Pasco Basin: SA-915 for Rockwell Hanford Operations, Richland, Washington, 127 p.
- Gilluly, J., 1937, Geology and mineral resources of the Baker quadrangle, Oregon: U.S. Geol. Survey Bull. 879, 119 p.
- Hampton, E. R. and Brown, S. G., 1964, Geology and ground-water resources of the upper Grande Ronde River basin, Union County, Oregon: U.S. Geol. Survey Water-supply Paper 1597, 99 p.
- Hogenson, G. M., 1964, Geology and ground water of the Umatilla River basin, Oregon: U.S. Geol. Survey Water-supply Paper 1620, 162 p.
- Hooper, P. R., Knowles, C. R. and Watkins, N. D., 1979, Magnetostratigraphy of the Imnaha and Grande Ronde basalts in the southeast part of the Columbia Plateau: Am. Jour. Sci., v. 279, p. 737-754.
- Kleck, W. D., 1976, Chemistry, petrography and stratigraphy of the Columbia River Group in the Imnaha River valley region, eastern Oregon and western Idaho: Washington State University, Ph.D. dissert., 203 p.
- Livingston, D. C., 1938, Certain topographic features of northeastern Oregon and their relation to faulting: Jour. Geol., v. 36, p. 694-708.
- Newcomb, R. C., 1970, Tectonic structure of the main part of the basalt of the Columbia River Group, Washington, Oregon and Idaho: U.S. Geol. Survey Misc. Geol. Inv. Map I-587 (1:500,000).
- Pardee, J. T., 1941, Preliminary geologic map of the Sumpter quadrangle, Oregon: Oregon Department of Geology and Mineral Industries.
- Price, S. M., 1974, A geochemical classification of dikes of the Grande Ronde swarm, Columbia River Basalt: ARH-SA-202, Atlantic Richfield Hanford Co., Richland, Washington, 29 p.
- , 1977, An evaluation of dike-flow correlations indicated by geochemistry, Chief Joseph swarm, Columbia River Basalt: University of Idaho, Ph.D., dissert., 320 p.
- Raisz, E., 1945, The Olympic-Wallowa lineament: Am. Jour. Sci., v. 243a, p. 479-485.

* Taken from: Barrash, W., Bond, J.G., Kauffman, J.D., and Venkatakrishnan, R., 1980, Geology of the La Grande area, Oregon: Oregon Department of Geology and Mineral Industries Special Paper 6, 45 p.

- Reidel, S. P., 1978, Stratigraphy and petrogenesis of the Grande Ronde Basalt in the lower Salmon and adjacent Snake River canyons: RHO-SA-62, Rockwell Hanford Operations, Richland, Washington, 385 p.
- Ross, M. E., 1978, Stratigraphy, structure and petrology of Columbia River Basalt in a portion of the Grande Ronde River-Blue Mountains area of Oregon and Washington: RHO-SA-58, Rockwell Hanford Operations, Richland, Washington, 460 p.
- Schlicker, H. G., and Deacon, R. J., 1971, Engineering geology of the La Grande area, Union County, Oregon: Oregon Department of Geology and Mineral Industries, 16 p.
- Shubat, M. A., 1979, Stratigraphy, petrochemistry, petrography and structural geology of the Columbia River Basalt in the Minam-Wallowa River area, northeast Oregon: Washington State University, M. S. thesis, 156 p.
- Skehan, J. W., 1965, A continental-oceanic crustal boundary in the Pacific Northwest: AFCRL-65-904, Air Force Cambridge Research Laboratories, Bedford, Mass, 54 p.
- Taubeneck, W. H., 1970, Dikes of Columbia River Basalt in northeastern Oregon, western Idaho, and southeastern Washington: *in* Proceedings of the Second Columbia River Basalt Symposium, Gilmour, E. H. and Stradling, D., eds., Eastern Washington State College Press, Cheney, Washington, p. 73-96.
- _____, 1979, Columbia River Basalt between the Minam River Canyon and the Grande Ronde graben, northeast Oregon (abs): Am. Assoc. Adv. Sci., Pacific Division, Sixtieth Annual Meeting, Moscow, Idaho, p. 25.
- Walker, G. W., 1973a, Contrasting compositions of the youngest Columbia River Basalt flows in Union and Wallowa counties of northeastern Oregon: Geol. Soc. Am. Bull., v. 84, no. 2, p. 425-430.
- _____, 1973b, Reconnaissance geologic map of the Pendleton quadrangle, Oregon and Washington: U.S. Geol. Survey Misc. Geol. Inv. Map I-727 (1:250,000).
- _____, 1979, Reconnaissance geologic map of the Oregon part of the Grangeville quadrangle, Baker, Union, Umatilla, and Wallowa counties, Oregon: U.S. Geol. Survey Misc. Geol. Inv. Map I-1116 (1:250,000).
- Watkins, N. D. and Baksi, A. K., 1974, Magnetostratigraphy and oroclinal folding of the Columbia River, Steens and Owyhee basalts in Oregon, Washington and Idaho: Am. Jour. Sci., v. 274, p. 148-189.
- Wright, T. A., Grolier, M. J. and Swanson, D. A., 1973, Chemical variation related to the stratigraphy of the Columbia River Basalt: Geol. Soc. Am. Bull., v. 84, p. 371-386.